

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

ACHIEVE Derived Variables: FORM CODE=ACHDERIVE_241018_NP VERSION=01.20

Data set name: ACHDERIVE_241018_NP

<i>ACHAGEAT1Y</i>		<i>ACHIEVE Age At Year 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	Range	71 - 86 (median=77 mean=77.3 std=4.0)
44		Missing

<i>ACHAGEAT2Y</i>		<i>ACHIEVE Age At Year 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
905	Range	71 - 87 (median=78 mean=78.2 std=4.0)
72		Missing

<i>ACHAGEAT3Y</i>		<i>ACHIEVE Age At Year 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
876	Range	72 - 88 (median=79 mean=79.3 std=4.0)
101		Missing

<i>ACHAGEATBASE</i>		<i>ACHIEVE Age At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	70 - 84 (median=76 mean=76.3 std=4.0)

<i>ACHAGEGRPAT1Y</i>		<i>ACHIEVE Age Categories At Year 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
264	6	
373	7	
259	8	
37	9	
44		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>ACHAGEGRPAT2Y</i>		<i>ACHIEVE Age Categories At Year 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
199	6	
362	7	
280	8	
64	9	
72		Missing

<i>ACHAGEGRPAT3Y</i>		<i>ACHIEVE Age Categories At Year 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
119	6	
360	7	
291	8	
106	9	
101		Missing

<i>ACHAGEGRPATBASE</i>		<i>ACHIEVE Age Categories At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
353	6	
385	7	
239	8	

<i>AIR1000L1Y2</i>		<i>Left Ear Hearing At Frequency 1000 Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	0 - 100 (median=35 mean=34.4 std=11.8)
376		Missing

<i>AIR1000L2Y2</i>		<i>Left Ear Hearing At Frequency 1000 Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	10 - 90 (median=35 mean=35.2 std=12.2)
849		Missing

<i>AIR1000L3Y2</i>		<i>Left Ear Hearing At Frequency 1000 Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	5 - 110 (median=35 mean=37.1 std=12.3)
125		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>AIR1000LB2</i>		<i>Left Ear Hearing At Frequency 1000 Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	5 - 100 (median=30 mean=33.2 std=11.5)

<i>AIR1000R1Y2</i>		<i>Right Ear Hearing At Frequency 1000 Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	5 - 85 (median=35 mean=34.0 std=11.4)
376		Missing

<i>AIR1000R2Y2</i>		<i>Right Ear Hearing At Frequency 1000 Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	10 - 65 (median=35 mean=35.1 std=11.0)
849		Missing

<i>AIR1000R3Y2</i>		<i>Right Ear Hearing At Frequency 1000 Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	10 - 85 (median=35 mean=36.8 std=11.7)
125		Missing

<i>AIR1000RB2</i>		<i>Right Ear Hearing At Frequency 1000 Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	5 - 80 (median=35 mean=33.3 std=10.9)

<i>AIR2000L1Y2</i>		<i>Left Ear Hearing At Frequency 2000 Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	10 - 110 (median=45 mean=45.7 std=12.4)
376		Missing

<i>AIR2000L2Y2</i>		<i>Left Ear Hearing At Frequency 2000 Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	30 - 80 (median=45 mean=47.6 std=11.4)
849		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>AIR2000L3Y2</i>		<i>Left Ear Hearing At Frequency 2000 Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	20 - 110 (median=50 mean=49.3 std=12.6)
125		Missing

<i>AIR2000LB2</i>		<i>Left Ear Hearing At Frequency 2000 Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	5 - 100 (median=45 mean=44.9 std=12.5)

<i>AIR2000R1Y2</i>		<i>Right Ear Hearing At Frequency 2000 Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	15 - 90 (median=45 mean=44.8 std=12.1)
376		Missing

<i>AIR2000R2Y2</i>		<i>Right Ear Hearing At Frequency 2000 Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	20 - 75 (median=45 mean=45.3 std=11.0)
849		Missing

<i>AIR2000R3Y2</i>		<i>Right Ear Hearing At Frequency 2000 Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	10 - 90 (median=45 mean=47.9 std=12.2)
125		Missing

<i>AIR2000RB2</i>		<i>Right Ear Hearing At Frequency 2000 Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	10 - 85 (median=40 mean=43.6 std=12.1)

<i>AIR4000L1Y2</i>		<i>Left Ear Hearing At Frequency 4000 Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	20 - 115 (median=60 mean=60.0 std=13.6)
376		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>AIR4000L2Y2</i>		<i>Left Ear Hearing At Frequency 4000 Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	35 - 90 (median=60 mean=61.2 std=12.5)
849		Missing

<i>AIR4000L3Y2</i>		<i>Left Ear Hearing At Frequency 4000 Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	20 - 115 (median=60 mean=62.7 std=13.4)
125		Missing

<i>AIR4000LB2</i>		<i>Left Ear Hearing At Frequency 4000 Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	20 - 110 (median=60 mean=60.0 std=13.8)

<i>AIR4000R1Y2</i>		<i>Right Ear Hearing At Frequency 4000 Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	15 - 115 (median=60 mean=58.8 std=13.8)
376		Missing

<i>AIR4000R2Y2</i>		<i>Right Ear Hearing At Frequency 4000 Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	35 - 110 (median=60 mean=61.2 std=13.4)
849		Missing

<i>AIR4000R3Y2</i>		<i>Right Ear Hearing At Frequency 4000 Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	20 - 115 (median=60 mean=62.3 std=13.6)
125		Missing

<i>AIR4000RB2</i>		<i>Right Ear Hearing At Frequency 4000 Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	20 - 115 (median=60 mean=59.0 std=14.2)

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>AIR500L1Y2</i>		<i>Left Ear Hearing At Frequency 500 Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	0 - 110 (median=30 mean=30.1 std=11.2)
376		Missing

<i>AIR500L2Y2</i>		<i>Left Ear Hearing At Frequency 500 Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	5 - 60 (median=30 mean=30.0 std=10.6)
849		Missing

<i>AIR500L3Y2</i>		<i>Left Ear Hearing At Frequency 500 Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	0 - 110 (median=30 mean=31.8 std=12.0)
125		Missing

<i>AIR500LB2</i>		<i>Left Ear Hearing At Frequency 500 Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	5 - 90 (median=30 mean=29.1 std=10.8)

<i>AIR500R1Y2</i>		<i>Right Ear Hearing At Frequency 500 Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	10 - 75 (median=30 mean=30.1 std=10.6)
376		Missing

<i>AIR500R2Y2</i>		<i>Right Ear Hearing At Frequency 500 Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	10 - 70 (median=30 mean=31.1 std=11.5)
849		Missing

<i>AIR500R3Y2</i>		<i>Right Ear Hearing At Frequency 500 Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	5 - 90 (median=30 mean=32.0 std=11.6)
125		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>AIR500RB2</i>		<i>Right Ear Hearing At Frequency 500 Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	5 - 90 (median=30 mean=29.5 std=10.7)

<i>ARICV1DATE_RANDT</i>		<i>Number Of Days Between ARIC V1date And Randomization Date For ARIC Participants</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
238	Range	-11773 - -10278 (median=-10815.5 mean=-10869.36 std=343.37)
739		Missing

<i>ARTHRITIS1Y</i>		<i>Arthritis Disease– Self-Reported Or Medication Use At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	T	
409	0	
522	1	
37		Missing

<i>ARTHRITIS2Y</i>		<i>Arthritis Disease– Self-Reported Or Medication Use At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	T	
366	0	
536	1	
64		Missing

<i>ARTHRITIS3Y</i>		<i>Arthritis Disease– Self-Reported Or Medication Use At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	T	
343	0	
528	1	
99		Missing

<i>ARTHRITISB</i>		<i>Arthritis Disease– Self-Reported Or Medication Use At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	T	
430	0	
545	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>AUDVISITS_1Y</i>		<i>Number Of Visits At Which A Participant Interacted With A Study Audiologist Between Baseline And 1 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
302	Range	1 - 18 (median=7 mean=7.5 std=2.0)
675		Missing

<i>AUDVISITS_2Y</i>		<i>Number Of Visits At Which A Participant Interacted With A Study Audiologist Between Baseline And 2 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	Range	1 - 19 (median=10 mean=8.6 std=4.3)
903		Missing

<i>AUDVISITS_3Y</i>		<i>Number Of Visits At Which A Participant Interacted With A Study Audiologist Between Baseline And 3 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
630	Range	1 - 27 (median=11 mean=9.0 std=5.8)
347		Missing

<i>AVGDAILYHEARING1Y_L</i>		<i>A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The Left Ear Between Baseline And 1 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
294	Range	0.187719 - 19.63524 (median=6.785417 mean=7.0701271 std=4.1361181)
683		Missing

<i>AVGDAILYHEARING1Y_MAX</i>		<i>A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The More Heavily Used Ear Between Baseline And 1 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
295	Range	0.223077 - 19.63937 (median=6.92866 mean=7.197116 std=4.136076)
682		Missing

<i>AVGDAILYHEARING1Y_R</i>		<i>A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The Right Ear Between Baseline And 1 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
295	Range	0.223077 - 19.63937 (median=6.850779 mean=7.1194158 std=4.1255249)
682		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

AVGDAILYHEARING2Y_L		A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The Left Ear Between Baseline And 2 Year Follow-Up
N	Value	Description
65	Range	0.855143 - 15.09436 (median=6.530802 mean=6.9794252 std=4.1079531)
912		Missing

AVGDAILYHEARING2Y_MAX		A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The More Heavily Used Ear Between Baseline And 2 Year Follow-Up
N	Value	Description
66	Range	0.4 - 15.09436 (median=6.668176 mean=6.9736694 std=4.1831802)
911		Missing

AVGDAILYHEARING2Y_R		A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The Right Ear Between Baseline And 2 Year Follow-Up
N	Value	Description
66	Range	0.4 - 15.09436 (median=6.172531 mean=6.7711477 std=4.2279639)
911		Missing

AVGDAILYHEARING3Y_L		A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The Left Ear Between Baseline And 3 Year Follow-Up
N	Value	Description
417	Range	0.062414 - 19.74986 (median=5.455382 mean=6.4537090 std=4.5215277)
560		Missing

AVGDAILYHEARING3Y_MAX		A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The More Heavily Used Ear Between Baseline And 3 Year Follow-Up
N	Value	Description
418	Range	0.075255 - 19.75111 (median=5.563966 mean=6.5707733 std=4.4924314)
559		Missing

AVGDAILYHEARING3Y_R		A Time-Weighted Average Of The Number Of Hours Per Day The Hearing Device Was Used In The Right Ear Between Baseline And 3 Year Follow-Up
N	Value	Description
418	Range	0.075255 - 19.75111 (median=5.354632 mean=6.3937331 std=4.4804267)
559		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

AVGWALK4MSPV11Y		Year 1 Average 4m Walking Speed (M/Sec), ARIC V6 Definition 1
N	Value	Description
602	Range	0.25 - 1.54 (median=0.985 mean=0.9640 std=0.2108)
375		Missing

AVGWALK4MSPV12Y		Year 2 Average 4m Walking Speed (M/Sec), ARIC V6 Definition 1
N	Value	Description
128	Range	0.32 - 1.4 (median=0.92 mean=0.902 std=0.208)
849		Missing

AVGWALK4MSPV13Y		Year 3 Average 4m Walking Speed (M/Sec), ARIC V6 Definition 1
N	Value	Description
832	Range	0.22 - 1.61 (median=0.93 mean=0.926 std=0.212)
145		Missing

AVGWALK4MSPV1B		Baseline Average 4m Walking Speed (M/Sec), ARIC V6 Definition 1
N	Value	Description
970	Range	0.25 - 1.71 (median=0.98 mean=0.981 std=0.204)
7		Missing

BMI1Y		Year 1 Body Mass Index In Kg/M ²
N	Value	Description
603	Range	16.93483 - 58.98803 (median=27.97442 mean=28.711445 std=5.610943)
374		Missing

BMI2Y		Year 2 Body Mass Index In Kg/M ²
N	Value	Description
130	Range	19.06336 - 44.4304 (median=28.2797 mean=28.71968 std=4.77976)
847		Missing

BMI3Y		Year 3 Body Mass Index In Kg/M ²
N	Value	Description
850	Range	16.42225 - 57.55723 (median=27.6543 mean=28.21661 std=5.41404)
127		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>BMIB</i>		<i>Baseline Body Mass Index In Kg/M^2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
972	Range	15.83104 - 61.19927 (median=28.33264 mean=28.958784 std=5.515649)
5		Missing

<i>CENTER</i>		<i>Field Center</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
236	F	
243	J	
236	M	
262	W	

<i>CESD1Y</i>		<i>Year 1 Ces-Depression Scale</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	Range	0 - 19 (median=2 mean=2.8 std=3.0)
44		Missing

<i>CESD2Y</i>		<i>Year 2 Ces-Depression Scale</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
900	Range	0 - 16 (median=2 mean=3.0 std=2.8)
77		Missing

<i>CESD3Y</i>		<i>Year 3 Ces-Depression Scale</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
873	Range	0 - 18 (median=2 mean=2.8 std=2.8)
104		Missing

<i>CESD6M</i>		<i>6-Month Ces-Depression Scale</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	0 - 18 (median=2 mean=2.9 std=2.9)
47		Missing

<i>CESDB</i>		<i>Baseline Ces-Depression Scale</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	0 - 16 (median=2 mean=2.5 std=2.5)

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>CIGTV21Y</i>		<i>Cigarette Smoking Status At 1y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19	1	
421	2	
491	3	
46		Missing

<i>CIGTV22Y</i>		<i>Cigarette Smoking Status At 2y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19	1	
405	2	
479	3	
74		Missing

<i>CIGTV23Y</i>		<i>Cigarette Smoking Status At 3y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	1	
379	2	
480	3	
103		Missing

<i>CIGTV2B</i>		<i>Cigarette Smoking Status At Baseline (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25	1	
443	2	
509	3	

<i>CONSENT</i>		<i>Consented To Participant In ACHIEVE</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	A	

<i>COVID_20031318M</i>		<i>18 - Month Visit Occurred After Covid Started 3/13/2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
354	0	
559	1	
64		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>COVID_2003131Y</i>		<i>Year 1 Visit Occurred After Covid Started 3/13/2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
606	0	
327	1	
44		Missing

<i>COVID_2003132Y</i>		<i>Year 2 Visit Occurred After Covid Started 3/13/2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
68	0	
837	1	
72		Missing

<i>COVID_20031330M</i>		<i>30 - Month Visit Occurred After Covid Started 3/13/2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
885	1	
92		Missing

<i>COVID_2003133Y</i>		<i>Year 3 Visit Occurred After Covid Started 3/13/2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
877	1	
100		Missing

<i>COVID_2003136M</i>		<i>6 - Month Visit Occurred After Covid Started 3/13/2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
882	0	
48	1	
47		Missing

<i>COVID_200313YR18M</i>		<i>18 - Month Time In Years Post 3/13/20 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
913	Range	0 - 1.158904 (median=0.208219 mean=0.3459377 std=0.3614455)
64		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>COVID_200313YR1Y</i>		<i>Year 1 Time In Years Post 3/13/20 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	Range	0 - 0.764384 (median=0 mean=0.1 std=0.2)
44		Missing

<i>COVID_200313YR2Y</i>		<i>Year 2 Time In Years Post 3/13/20 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
905	Range	0 - 1.668493 (median=0.723288 mean=0.7501703 std=0.4889561)
72		Missing

<i>COVID_200313YR30M</i>		<i>30 - Month Time In Years Post 3/13/20 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
885	Range	0.194521 - 2.323288 (median=1.216438 mean=1.2281062 std=0.4989897)
92		Missing

<i>COVID_200313YR3Y</i>		<i>Year 3 Time In Years Post 3/13/20 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
877	Range	0.928767 - 2.728767 (median=1.736986 mean=1.8036894 std=0.4194691)
100		Missing

<i>COVID_200313YR6M</i>		<i>6 - Month Time In Years Post 3/13/20 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	0 - 0.364384 (median=0 mean=0.0 std=0.0)
47		Missing

<i>CURDRKV11Y</i>		<i>Current Drinker At Year 1 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	T	
411	0	
521	1	
37		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>CURDRKV12Y</i>		<i>Current Drinker At Year 2 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
423	0	
480	1	
64		Missing

<i>CURDRKV13Y</i>		<i>Current Drinker At Year 3 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	T	
464	0	
409	1	
99		Missing

<i>CURDRKV1B</i>		<i>Current Drinker At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
417	0	
560	1	

<i>CURSMKV21Y</i>		<i>Current Cigarette Smoker At 1y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	T	
912	0	
19	1	
37		Missing

<i>CURSMKV22Y</i>		<i>Current Cigarette Smoker At 2y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
884	0	
19	1	
64		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>CURSMKV23Y</i>		<i>Current Cigarette Smoker At 3y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	T	
859	0	
15	1	
99		Missing

<i>CURSMKV2B</i>		<i>Current Cigarette Smoker At Baseline (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
952	0	
25	1	

<i>DEATH_DT_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To Date Of Death</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41	Range	185 - 1281 (median=792 mean=763.6 std=298.8)
936		Missing

<i>DEATH_DT_YEAR</i>		<i>Year Of Date Of Death</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	2018	
5	2019	
16	2020	
15	2021	
4	2022	
936		Missing

<i>DIABTSV71Y</i>		<i>Diabetes – Self-Reported Or Medication Use At 1y (ARIC V6, Definition 7)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	T	
739	0	
190	1	
37		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>DIABTSV72Y</i>		<i>Diabetes – Self-Reported Or Medication Use At 2y (ARIC V6, Definition 7)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12	T	
717	0	
184	1	
64		Missing

<i>DIABTSV73Y</i>		<i>Diabetes – Self-Reported Or Medication Use At 3y (ARIC V6, Definition 7)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	T	
702	0	
172	1	
99		Missing

<i>DIABTSV7B</i>		<i>Diabetes – Self-Reported Or Medication Use At Baseline (ARIC V6, Definition 7)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
782	0	
195	1	

<i>DIASTOLICV11Y</i>		<i>Mean Diastolic Bp Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 1y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	35 - 100 (median=65 mean=66.0 std=10.5)
375		Missing

<i>DIASTOLICV12Y</i>		<i>Mean Diastolic Bp Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 2y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
130	Range	39 - 92 (median=65 mean=65.1 std=10.1)
847		Missing

<i>DIASTOLICV13Y</i>		<i>Mean Diastolic Bp Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 3y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
851	Range	33 - 103 (median=65 mean=65.0 std=10.1)
126		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>DIASTOLICV1B</i>		<i>Mean Diastolic Bp Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
968	Range	37 - 102 (median=68 mean=68.1 std=10.5)
9		Missing

<i>DRNKRV11Y</i>		<i>Drinker Status At Year 1 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
521	1	
219	2	
192	3	
45		Missing

<i>DRNKRV12Y</i>		<i>Drinker Status At Year 2 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
480	1	
225	2	
198	3	
74		Missing

<i>DRNKRV13Y</i>		<i>Drinker Status At Year 3 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
409	1	
197	2	
267	3	
1	4	
103		Missing

<i>DRNKRV1B</i>		<i>Drinker Status At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
560	1	
238	2	
179	3	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>DROP_IN18M</i>		<i>18mos Successful Aging Crossed Over To Hearing Aids</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
237	0	
25	1	
715		Missing

<i>DROP_IN1Y</i>		<i>Year1 Successful Aging Crossed Over To Hearing Aids</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
432	0	
28	1	
517		Missing

<i>DROP_IN2Y</i>		<i>Year2 Successful Aging Crossed Over To Hearing Aids</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
397	0	
50	1	
530		Missing

<i>DROP_IN30M</i>		<i>30mos Successful Aging Crossed Over To Hearing Aids</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
359	0	
41	1	
577		Missing

<i>DROP_IN3Y</i>		<i>Year3 Successful Aging Crossed Over To Hearing Aids</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
383	0	
52	1	
542		Missing

<i>DROP_IN6M</i>		<i>6mos Successful Aging Crossed Over To Hearing Aids</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19	0	
6	1	
952		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>DROP_IN_CUR</i>		<i>Successful Aging Crossed Over To Hearing Aids At Most Current Annual Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
384	0	
52	1	
541		Missing

<i>DROP_IN_EVER</i>		<i>Successful Aging Crossed Over To Hearing Aids Ever (Drop-In)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
386	0	
76	1	
515		Missing

<i>DROP_OUT_18M</i>		<i>Drop Out At 18 - Month</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
463	0	
3	1	
511		Missing

<i>DROP_OUT_1Y</i>		<i>Drop Out At Year 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
470	0	
3	1	
504		Missing

<i>DROP_OUT_2Y</i>		<i>Drop Out At Year 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
455	0	
5	1	
517		Missing

<i>DROP_OUT_30M</i>		<i>Drop Out At 30 - Month</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
446	0	
3	1	
528		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>DROP_OUT_3Y</i>		<i>Drop Out At Year 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
429	0	
4	1	
544		Missing

<i>DROP_OUT_6M</i>		<i>Drop Out At 6 - Month</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
471	0	
5	1	
501		Missing

<i>DROP_OUT_EVER</i>		<i>Ever Not Used Hearing Aids During Study (Drop-Out Based On Icf1a And Icf1b)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
478	0	
10	1	
489		Missing

<i>DROP_OUT_I</i>		<i>Drop Out At Intervention</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
485	0	
2	1	
490		Missing

<i>DROP_OUT_UV</i>		<i>Drop Out At Unscheduled Visits</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
168	0	
1	1	
808		Missing

<i>EARLOGGED1Y</i>		<i>Ear(S) Participant Provided Hearing Logging Data For By 1 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
294	B	
1	R	
682		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>EARLOGGED2Y</i>		<i>Ear(S) Participant Provided Hearing Logging Data For By 2 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
65	B	
1	R	
911		Missing

<i>EARLOGGED3Y</i>		<i>Ear(S) Participant Provided Hearing Logging Data For By 3 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
417	B	
1	R	
559		Missing

<i>EDUCATION</i>		<i>ACHIEVE Education Level (3 Categories)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37	1	
418	2	
521	3	
1		Missing

<i>EMBEDDED_NETWORKSB</i>		<i>Number Of Different Network Domains At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
87	0	
164	1	
212	2	
221	3	
145	4	
92	5	
47	6	
9	7	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>EMBEDDED_NETWORKS_1Y</i>		<i>Number Of Different Network Domains At 1 Year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
90	0	
188	1	
217	2	
175	3	
137	4	
81	5	
36	6	
9	7	
44		Missing

<i>EMBEDDED_NETWORKS_2Y</i>		<i>Number Of Different Network Domains At 2 Years</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
126	0	
179	1	
200	2	
170	3	
121	4	
65	5	
34	6	
5	7	
1	8	
76		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>EMBEDDED_NETWORKS_3Y</i>		<i>Number Of Different Network Domains At 3 Years</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
122	0	
182	1	
183	2	
167	3	
101	4	
77	5	
39	6	
1	7	
1	8	
104		Missing

<i>EMBEDDED_NETWORKS_6M</i>		<i>Number Of Different Network Domains At 6 Months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
79	0	
167	1	
200	2	
179	3	
156	4	
100	5	
41	6	
8	7	
47		Missing

<i>ETHANLV11Y</i>		<i>Usual Ethanol Intake (G/Wk) At Year 1 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
918	Range	0 - 392 (median=0 mean=30.2 std=55.4)
59		Missing

<i>ETHANLV12Y</i>		<i>Usual Ethanol Intake (G/Wk) At Year 2 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
879	Range	0 - 392 (median=0 mean=28.7 std=53.1)
98		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>ETHANLV13Y</i>		<i>Usual Ethanol Intake (G/Wk) At Year 3 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
873	Range	0 - 378 (median=0 mean=25.8 std=52.1)
104		Missing

<i>ETHANLV1B</i>		<i>Usual Ethanol Intake (G/Wk) At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
971	Range	0 - 294 (median=0 mean=29.1 std=52.8)
6		Missing

<i>EVRDRKV11Y</i>		<i>Ever Drinker At Year 1 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	T	
192	0	
740	1	
37		Missing

<i>EVRDRKV12Y</i>		<i>Ever Drinker At Year 2 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
198	0	
705	1	
64		Missing

<i>EVRDRKV13Y</i>		<i>Ever Drinker At Year 3 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	T	
267	0	
607	1	
99		Missing

<i>EVRDRKV1B</i>		<i>Ever Drinker At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
179	0	
798	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>EVRSMKV21Y</i>		<i>Ever Smoked Cigarettes At 1y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
491	0	
440	1	
46		Missing

<i>EVRSMKV22Y</i>		<i>Ever Smoked Cigarettes At 2y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
479	0	
424	1	
74		Missing

<i>EVRSMKV23Y</i>		<i>Ever Smoked Cigarettes At 3y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
480	0	
394	1	
103		Missing

<i>EVRSMKV2B</i>		<i>Ever Smoked Cigarettes At Baseline (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
509	0	
468	1	

<i>EXHAUST1Y</i>		<i>Year 1 Responded 2 Or 3 On Ces3 Or Ces11 (Cesd) – Frailty Exhaustion Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
859	0	
74	1	
44		Missing

<i>EXHAUST2Y</i>		<i>Year 2 Responded 2 Or 3 On Ces3 Or Ces11 (Cesd) – Frailty Exhaustion Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
840	0	
60	1	
77		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>EXHAUST3Y</i>		<i>Year 3 Responded 2 Or 3 On Ces3 Or Ces11 (Cesd) – Frailty Exhaustion Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
792	0	
66	1	
119		Missing

<i>EXHAUSTB</i>		<i>Baseline Responded 2 Or 3 On Ces3 Or Ces11 (Cesd) - Frailty Exhaustion Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
928	0	
49	1	

<i>FAQ1Y</i>		<i>Year 1 Functional Activities Questionnaire</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43	0	
17	1	
10	2	
8	3	
3	4	
1	5	
1	7	
894		Missing

<i>FAQ2Y</i>		<i>Year 2 Functional Activities Questionnaire</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28	0	
19	1	
4	2	
2	3	
2	5	
1	6	
1	14	
1	26	
919		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>FAQ3Y</i>		<i>Year 3 Functional Activities Questionnaire</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
140	Range	0 - 29 (median=1 mean=2.6 std=4.6)
837		Missing

<i>FAQB</i>		<i>Baseline Functional Activities Questionnaire</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38	0	
10	1	
8	2	
1	3	
1	5	
1	6	
1	12	
917		Missing

<i>FORDRKV11Y</i>		<i>Former Drinker At Year 1 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	T	
713	0	
219	1	
37		Missing

<i>FORDRKV12Y</i>		<i>Former Drinker At Year 2 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
678	0	
225	1	
64		Missing

<i>FORDRKV13Y</i>		<i>Former Drinker At Year 3 (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	T	
676	0	
197	1	
99		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>FORDRKV1B</i>		<i>Former Drinker At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
739	0	
238	1	

<i>FORSMKV21Y</i>		<i>Former Cigarette Smoker At 1y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
491	0	
440	1	
46		Missing

<i>FORSMKV22Y</i>		<i>Former Cigarette Smoker At 2y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
479	0	
424	1	
74		Missing

<i>FORSMKV23Y</i>		<i>Former Cigarette Smoker At 3y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
480	0	
394	1	
103		Missing

<i>FORSMKV2B</i>		<i>Former Cigarette Smoker At Baseline (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
509	0	
468	1	

<i>FRAILTY1Y1A</i>		<i>Year 1 ARIC Physical Function Wg Frailty Definition (A)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43	1	
467	2	
226	3	
241		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>FRAILTY1Y1B</i>		<i>Year 1 ARIC Physical Function Wg Frailty Definition (B)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27	1	
376	2	
279	3	
295		Missing

<i>FRAILTY1Y3</i>		<i>Year 1 ARIC Physical Function Wg Frailty Definition - Weight Loss Dropped</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21	1	
335	2	
303	3	
318		Missing

<i>FRAILTY2Y1A</i>		<i>Year 2 ARIC Physical Function Wg Frailty Definition (A)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	1	
399	2	
47	3	
521		Missing

<i>FRAILTY2Y1B</i>		<i>Year 2 ARIC Physical Function Wg Frailty Definition (B)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	1	
267	2	
59	3	
646		Missing

<i>FRAILTY2Y3</i>		<i>Year 2 ARIC Physical Function Wg Frailty Definition - Weight Loss Dropped</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	1	
204	2	
63	3	
707		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>FRAILTY3Y1A</i>		<i>Year 3 ARIC Physical Function Wg Frailty Definition (A)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
80	1	
505	2	
279	3	
113		Missing

<i>FRAILTY3Y1B</i>		<i>Year 3 ARIC Physical Function Wg Frailty Definition (B)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
56	1	
447	2	
346	3	
128		Missing

<i>FRAILTY3Y3</i>		<i>Year 3 ARIC Physical Function Wg Frailty Definition - Weight Loss Dropped</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
44	1	
417	2	
381	3	
135		Missing

<i>FRAILTYB1A</i>		<i>Baseline ARIC Physical Function Wg Frailty, Where Weight Loss Is Based On Only Bmi Definition (A)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25	1	
420	2	
517	3	
15		Missing

<i>FRAILTYB1B</i>		<i>Baseline ARIC Physical Function Wg Frailty, Where Weight Loss Is Based On Only Bmi Definition (B)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25	1	
420	2	
517	3	
15		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>FRAILITYB3</i>		<i>Baseline ARIC Physical Function Wg Frailty Definition - Weight Loss Dropped</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24	1	
416	2	
522	3	
15		Missing

<i>GENDER</i>		<i>Participant Gender</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
523	F	
454	M	

<i>GRIPBESTV11Y</i>		<i>Physical Function Grip, Best Of 2 Trials At 1y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	4 - 60 (median=26 mean=27.5 std=9.8)
376		Missing

<i>GRIPBESTV12Y</i>		<i>Physical Function Grip, Best Of 2 Trials At 2y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	12 - 60 (median=24 mean=26.5 std=9.1)
849		Missing

<i>GRIPBESTV13Y</i>		<i>Physical Function Grip, Best Of 2 Trials At 3y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
843	Range	2 - 60 (median=24 mean=26.3 std=9.4)
134		Missing

<i>GRIPBESTV1B</i>		<i>Physical Function Grip, Best Of 2 Trials At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
968	Range	8 - 76 (median=28 mean=28.9 std=9.9)
9		Missing

<i>GRIPMEANV11Y</i>		<i>Physical Function Grip, Mean Of 2 Trials Or Result For 1 Trial At 1y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
600	Range	4 - 57 (median=25 mean=26.7 std=9.5)
377		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>GRIPMEANV12Y</i>		<i>Physical Function Grip, Mean Of 2 Trials Or Result For 1 Trial At 2y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	12 - 59 (median=23.5 mean=25.84 std=8.98)
849		Missing

<i>GRIPMEANV13Y</i>		<i>Physical Function Grip, Mean Of 2 Trials Or Result For 1 Trial At 3y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
843	Range	2 - 60 (median=24 mean=25.4 std=9.2)
134		Missing

<i>GRIPMEANV1B</i>		<i>Physical Function Grip, Mean Of 2 Trials Or Result For 1 Trial At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
968	Range	7 - 73 (median=27 mean=28.0 std=9.7)
9		Missing

<i>HCHOL1Y</i>		<i>High Cholesterol- Self-Reported Or Medication Use At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
355	0	
575	1	
37		Missing

<i>HCHOL2Y</i>		<i>High Cholesterol- Self-Reported Or Medication Use At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	T	
345	0	
557	1	
64		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>HCHOL3Y</i>		<i>High Cholesterol– Self-Reported Or Medication Use At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	T	
343	0	
528	1	
99		Missing

<i>HCHOLB</i>		<i>High Cholesterol– Self-Reported Or Medication Use At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	T	
388	0	
584	1	

<i>HEARLOGSPAN1Y</i>		<i>Span Of Time (In Days) That Hearing Log Data Was Provided By 1 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
295	Range	210 - 695 (median=331 mean=336.4 std=37.4)
682		Missing

<i>HEARLOGSPAN2Y</i>		<i>Span Of Time (In Days) That Hearing Log Data Was Provided By 2 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
66	Range	182 - 812 (median=693.5 mean=691.35 std=70.58)
911		Missing

<i>HEARLOGSPAN3Y</i>		<i>Span Of Time (In Days) That Hearing Log Data Was Provided By 3 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
418	Range	698 - 1463 (median=1071 mean=1088.7 std=69.3)
559		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>HEARLOGVISITS1Y</i>		<i>Number Of Times Hearing Log Data Was Provided By 1 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	4	
234	5	
41	6	
7	7	
2	8	
1	9	
1	10	
682		Missing

<i>HEARLOGVISITS2Y</i>		<i>Number Of Times Hearing Log Data Was Provided By 2 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	2	
14	4	
13	5	
5	6	
24	7	
7	8	
1	9	
1	11	
911		Missing

<i>HEARLOGVISITS3Y</i>		<i>Number Of Times Hearing Log Data Was Provided By 3 Year Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	3	
3	4	
54	5	
145	6	
142	7	
55	8	
14	9	
2	10	
1	12	
1	13	
559		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>HHISCORE1Y</i>		<i>Hearing Handicap Inventory For The Elderly Score At Year 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
527	0	
327	1	
72	2	
51		Missing

<i>HHISCORE2Y</i>		<i>Hearing Handicap Inventory For The Elderly Score At Year 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
504	0	
304	1	
84	2	
85		Missing

<i>HHISCORE3Y</i>		<i>Hearing Handicap Inventory For The Elderly Score At Year 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
395	0	
369	1	
99	2	
114		Missing

<i>HHISCORE6M</i>		<i>Hearing Handicap Inventory For The Elderly Score At 6-Month</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
523	0	
323	1	
75	2	
56		Missing

<i>HHISCOREB</i>		<i>Hearing Handicap Inventory For The Elderly Score At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
304	0	
487	1	
179	2	
7		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>HHISCORE_CONT1Y</i>		<i>Hearing Handicap Inventory For The Elderly Continuous Score At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
926	Range	0 - 40 (median=8 mean=9.8 std=9.0)
51		Missing

<i>HHISCORE_CONT2Y</i>		<i>Hearing Handicap Inventory For The Elderly Continuous Score At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
892	Range	0 - 40 (median=8 mean=10.3 std=9.2)
85		Missing

<i>HHISCORE_CONT3Y</i>		<i>Hearing Handicap Inventory For The Elderly Continuous Score At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
863	Range	0 - 40 (median=10 mean=12.0 std=9.6)
114		Missing

<i>HHISCORE_CONT6M</i>		<i>Hearing Handicap Inventory For The Elderly Continuous Score At 6m</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
921	Range	0 - 40 (median=8 mean=9.8 std=8.8)
56		Missing

<i>HHISCORE_CONTB</i>		<i>Hearing Handicap Inventory For The Elderly Continuous Score At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
970	Range	0 - 40 (median=14 mean=15.3 std=9.8)
7		Missing

<i>HISPANIC</i>		<i>Participant Ethnicity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
730	N	
9	Y	
238		Missing

<i>HYPERTV41Y</i>		<i>Hypertension Diastolic >=90 At 1y (ARIC V6, Definition 4)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
269	0	
515	1	
193		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>HYPERTV42Y</i>		<i>Hypertension Diastolic \geq90 At 2y (ARIC V6, Definition 4)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
51	0	
481	1	
445		Missing

<i>HYPERTV43Y</i>		<i>Hypertension Diastolic \geq90 At 3y (ARIC V6, Definition 4)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
363	0	
496	1	
118		Missing

<i>HYPERTV4B</i>		<i>Hypertension Diastolic \geq90 At Baseline (ARIC V6, Definition 4)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
431	0	
543	1	
3		Missing

<i>HYPERTV51Y</i>		<i>Hypertension Systolic \geq140 Or Diastolic \geq90 At 1y (ARIC V6, Definition 5)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
193	T	
215	0	
569	1	

<i>HYPERTV52Y</i>		<i>Hypertension Systolic \geq140 Or Diastolic \geq90 At 2y (ARIC V6, Definition 5)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
445	T	
39	0	
493	1	

<i>HYPERTV53Y</i>		<i>Hypertension Systolic \geq140 Or Diastolic \geq90 At 3y (ARIC V6, Definition 5)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
118	T	
312	0	
547	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>HYPERTV5B</i>		<i>Hypertension Systolic >=140 Or Diastolic >=90 At Baseline (ARIC V6, Definition 5)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	T	
323	0	
651	1	

<i>HYPERTV61Y</i>		<i>Hypertension Systolic >=160 Or Diastolic >=95 At 1y (ARIC V6, Definition 6)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
193	T	
257	0	
527	1	

<i>HYPERTV62Y</i>		<i>Hypertension Systolic >=160 Or Diastolic >=95 At 2y (ARIC V6, Definition 6)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
445	T	
49	0	
483	1	

<i>HYPERTV63Y</i>		<i>Hypertension Systolic >=160 Or Diastolic >=95 At 3y (ARIC V6, Definition 6)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
118	T	
359	0	
500	1	

<i>HYPERTV6B</i>		<i>Hypertension Systolic >=160 Or Diastolic >=95 At Baseline (ARIC V6, Definition 6)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	T	
417	0	
557	1	

<i>HYPERTV71Y</i>		<i>Hypertension Systolic >=150 Or Diastolic >=90 At 1y (ARIC V6, Definition 7)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
193	T	
241	0	
543	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>HYPERTV72Y</i>		<i>Hypertension Systolic >=150 Or Diastolic >=90 At 2y (ARIC V6, Definition 7)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
445	T	
45	0	
487	1	

<i>HYPERTV73Y</i>		<i>Hypertension Systolic >=150 Or Diastolic >=90 At 3y (ARIC V6, Definition 7)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
118	T	
340	0	
519	1	

<i>HYPERTV7B</i>		<i>Hypertension Systolic >=150 Or Diastolic >=90 At Baseline (ARIC V6, Definition 7)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	T	
378	0	
596	1	

<i>ID_C</i>		<i>Scrambled Cohort And De Novo Visit ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Present	Text suppressed

<i>INCOMEB</i>		<i>Income At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
147	1	
283	2	
210	3	
140	4	
170	5	
27		Missing

<i>INPERPROTOCOL</i>		<i>Participants That Should Be Included In Any Per Protocol Analysis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
153	0	
824	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>KIDNEYDS1Y</i>		<i>Kidney Disease– Self-Reported Or Medication Use At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	T	
866	0	
63	1	
37		Missing

<i>KIDNEYDS2Y</i>		<i>Kidney Disease– Self-Reported Or Medication Use At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	T	
837	0	
65	1	
64		Missing

<i>KIDNEYDS3Y</i>		<i>Kidney Disease– Self-Reported Or Medication Use At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	T	
796	0	
77	1	
99		Missing

<i>KIDNEYDSB</i>		<i>Kidney Disease– Self-Reported Or Medication Use At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	T	
918	0	
57	1	

<i>LEFT_TYPE1Y</i>		<i>Year 1 Adjudicated Left Ear Types Of Hearing Loss</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Mixed	
81	Sensorineural	
895		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>LEFT_TYPE2Y</i>		<i>Year 2 Adjudicated Left Ear Types Of Hearing Loss</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	Sensorineural	
966		Missing

<i>LEFT_TYPE3Y</i>		<i>Y3 Clinic Adjudicated Left Ear Types Of Hearing Loss</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	Mixed	
1	Questionable	
309	Sensorineural	
662		Missing

<i>LEFT_TYPEB</i>		<i>Screen And Baseline Adjudicated Left Ear Types Of Hearing Loss</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	Mixed	
3	Questionable	
964	Sensorineural	

<i>LISR_IV21Y</i>		<i>Year 1 Physical Activity During Leisure Time Excluding Sport (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	Range	1 - 4.75 (median=2.25 mean=2.265 std=0.646)
44		Missing

<i>LISR_IV22Y</i>		<i>Year 2 Physical Activity During Leisure Time Excluding Sport (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
901	Range	1 - 4.75 (median=2.25 mean=2.294 std=0.631)
76		Missing

<i>LISR_IV23Y</i>		<i>Year 3 Physical Activity During Leisure Time Excluding Sport (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
872	Range	1 - 5 (median=2.25 mean=2.239 std=0.642)
105		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>LISR_IV2B</i>		<i>Baseline Physical Activity During Leisure Time Excluding Sport (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
973	Range	1 - 4.625 (median=2.25 mean=2.234 std=0.645)
4		Missing

<i>LIVERDS1Y</i>		<i>Liver Disease– Self-Reported Or Medication Use At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
915	0	
15	1	
37		Missing

<i>LIVERDS2Y</i>		<i>Liver Disease– Self-Reported Or Medication Use At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	T	
886	0	
16	1	
64		Missing

<i>LIVERDS3Y</i>		<i>Liver Disease– Self-Reported Or Medication Use At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	T	
854	0	
20	1	
99		Missing

<i>LIVERDSB</i>		<i>Liver Disease– Self-Reported Or Medication Use At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	T	
960	0	
15	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>LIVING_ALONEB</i>		<i>Does The Participant Live Alone At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
678	0	
290	1	
9		Missing

<i>LTF_DT_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To Date Lost To Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30	Range	0 - 1470 (median=808.5 mean=689.83 std=457.45)
947		Missing

<i>LTF_DT_YEAR</i>		<i>Year Of Date Lost To Follow-Up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	2018	
4	2019	
2	2020	
13	2021	
6	2022	
947		Missing

<i>MARITALSTATUSB</i>		<i>Marital Status At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	1	
375	2	

<i>MCSTSCORE1Y</i>		<i>Mental Component Summary At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
932	Range	20.5 - 71.3 (median=58.2 mean=55.88 std=7.89)
45		Missing

<i>MCSTSCORE2Y</i>		<i>Mental Component Summary At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
898	Range	10.5 - 71.4 (median=58.1 mean=56.20 std=7.56)
79		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>MCSTSCORE3Y</i>		<i>Mental Component Summary At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
871	Range	17.2 - 73.9 (median=57.7 mean=55.94 std=7.61)
106		Missing

<i>MCSTSCORE6M</i>		<i>Mental Component Summary At 6m</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
929	Range	13.1 - 68.7 (median=57.8 mean=55.54 std=8.09)
48		Missing

<i>MCSTSCOREB</i>		<i>Mental Component Summary At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
976	Range	25.3 - 72.7 (median=57.9 mean=56.28 std=6.62)
1		Missing

<i>MDDXMIV21Y</i>		<i>Md Diagnosed Myocardial Infarction At 1y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	T	
855	0	
74	1	
37		Missing

<i>MDDXMIV22Y</i>		<i>Md Diagnosed Myocardial Infarction At 2y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	T	
827	0	
71	1	
64		Missing

<i>MDDXMIV23Y</i>		<i>Md Diagnosed Myocardial Infarction At 3y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	T	
803	0	
68	1	
99		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>MDDXMIV2B</i>		<i>Md Diagnosed Myocardial Infarction At Baseline (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	T	
901	0	
73	1	

<i>MINWALK4MSPV11Y</i>		<i>Year 1 Fastest 4m Walking Speed For Both Trials (M/Sec), ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	0.23 - 1.48 (median=0.94 mean=0.924 std=0.207)
375		Missing

<i>MINWALK4MSPV12Y</i>		<i>Year 2 Fastest 4m Walking Speed For Both Trials (M/Sec), ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	0.3 - 1.33 (median=0.88 mean=0.865 std=0.204)
849		Missing

<i>MINWALK4MSPV13Y</i>		<i>Year 3 Fastest 4m Walking Speed For Both Trials (M/Sec), ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
832	Range	0.21 - 1.53 (median=0.89 mean=0.887 std=0.207)
145		Missing

<i>MINWALK4MSPV1B</i>		<i>Baseline Fastest 4m Walking Speed For Both Trials (M/Sec), ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
970	Range	0.21 - 1.53 (median=0.94 mean=0.941 std=0.198)
7		Missing

<i>NETWORK_DIVERSITYB</i>		<i>Number Of High-Contact Roles At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	1 - 11 (median=6 mean=5.9 std=1.6)

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>NETWORK_DIVERSITY_1Y</i>		<i>Number Of High-Contact Roles At 1 Year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	1	
23	2	
47	3	
130	4	
190	5	
228	6	
180	7	
93	8	
33	9	
5	10	
44		Missing

<i>NETWORK_DIVERSITY_2Y</i>		<i>Number Of High-Contact Roles At 2 Years</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
901	Range	1 - 11 (median=6 mean=5.6 std=1.6)
76		Missing

<i>NETWORK_DIVERSITY_3Y</i>		<i>Number Of High-Contact Roles At 3 Years</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	1	
29	2	
62	3	
134	4	
178	5	
202	6	
148	7	
95	8	
17	9	
5	10	
104		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>NETWORK_DIVERSITY_6M</i>		<i>Number Of High-Contact Roles At 6 Months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	1	
8	2	
52	3	
113	4	
182	5	
215	6	
191	7	
118	8	
38	9	
10	10	
47		Missing

<i>NUMINHOUSEB_A</i>		<i>Number Of People In Household At Baseline Updated To De-Identify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	.	
290	1	
596	2	
50	3	
13	4	
19	>=5	

<i>OCCUP_A</i>		<i>Occupation At V1 (ARIC) Or Occupation At Age 25-45 (De Novo) Updated To De-Identify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
61	0	
533	2	
188	3	
60	4	
69	6	
51	7	
13	8	
2		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PAIRID</i>		<i>Sequential Count Of Participants. Double Count If Pair</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Present	Text suppressed

<i>PAIRSTATUS</i>		<i>Participant Part Of A Pair</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
887	0	
90	1	

<i>PARKDS1Y</i>		<i>Parkinson's Disease– Self-Reported Or Medication Use At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	T	
924	0	
7	1	
37		Missing

<i>PARKDS2Y</i>		<i>Parkinson's Disease– Self-Reported Or Medication Use At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
894	0	
9	1	
64		Missing

<i>PARKDS3Y</i>		<i>Parkinson's Disease– Self-Reported Or Medication Use At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	T	
864	0	
10	1	
99		Missing

<i>PARKDSB</i>		<i>Parkinson's Disease– Self-Reported Or Medication Use At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
971	0	
6	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PCSTSCORE1Y</i>		<i>Physical Component Summary At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
932	Range	11.7 - 63.9 (median=46.9 mean=44.36 std=10.24)
45		Missing

<i>PCSTSCORE2Y</i>		<i>Physical Component Summary At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
898	Range	7.9 - 65.7 (median=45.3 mean=43.47 std=10.41)
79		Missing

<i>PCSTSCORE3Y</i>		<i>Physical Component Summary At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
871	Range	11.2 - 63.2 (median=44.5 mean=42.43 std=10.94)
106		Missing

<i>PCSTSCORE6M</i>		<i>Physical Component Summary At 6m</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
929	Range	12.1 - 64.9 (median=47.3 mean=44.81 std=10.11)
48		Missing

<i>PCSTSCOREB</i>		<i>Physical Component Summary At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
976	Range	10 - 62.9 (median=47.2 mean=44.75 std=9.81)
1		Missing

<i>POSTCOVID_21063018M</i>		<i>18 - Month Visit Occurred After Post Covid Started 6/30/2021</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
913	0	
64		Missing

<i>POSTCOVID_2106301Y</i>		<i>Year 1 Visit Occurred After Post Covid Started 6/30/2021</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	0	
44		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>POSTCOVID_2106302Y</i>		<i>Year 2 Visit Occurred After Post Covid Started 6/30/2021</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
755	0	
150	1	
72		Missing

<i>POSTCOVID_21063030M</i>		<i>30 - Month Visit Occurred After Post Covid Started 6/30/2021</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
478	0	
407	1	
92		Missing

<i>POSTCOVID_2106303Y</i>		<i>Year 3 Visit Occurred After Post Covid Started 6/30/2021</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
102	0	
775	1	
100		Missing

<i>POSTCOVID_2106306M</i>		<i>6 - Month Visit Occurred After Post Covid Started 6/30/2021</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	0	
47		Missing

<i>POSTCOVID_210630YR18M</i>		<i>18 - Month Time In Years Post 6/30/21 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
913	0	
64		Missing

<i>POSTCOVID_210630YR1Y</i>		<i>Year 1 Time In Years Post 6/30/21 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	0	
44		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>POSTCOVID_210630YR2Y</i>		<i>Year 2 Time In Years Post 6/30/21 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
905	Range	-0.03288 - 0.40274 (median=0 mean=0.0 std=0.1)
72		Missing

<i>POSTCOVID_210630YR30M</i>		<i>30 - Month Time In Years Post 6/30/21 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
885	Range	-0.03014 - 1 (median=0 mean=0.2 std=0.2)
92		Missing

<i>POSTCOVID_210630YR3Y</i>		<i>Year 3 Time In Years Post 6/30/21 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
877	Range	-0.02466 - 1.419178 (median=0.432877 mean=0.5101389 std=0.4122425)
100		Missing

<i>POSTCOVID_210630YR6M</i>		<i>6 - Month Time In Years Post 6/30/21 Else 0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	0	
47		Missing

<i>PPTEDUC</i>		<i>ACHIEVE Education Level Used In Randomization</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
218	0	
759	1	

<i>PPTTYPE</i>		<i>Participant Type (ARIC Or De Novo)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
238	A	
739	D	

<i>PRORATEDMMSE00</i>		<i>Prorated Mmse Score At Screening [(30 * Mme Score) / (30 - Number Skipped Due To Non-Cognitive Reasons)]</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	23 - 30 (median=29 mean=28.2 std=1.6)

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PRORATEDMMSE18M</i>		<i>18mos Prorated Mmse Score At Screening [(30 * Mme Score) / (30 – Number Skipped Due To Non-Cognitive Reasons)]</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
355	Range	17 - 30 (median=29 mean=28.1 std=2.0)
622		Missing

<i>PRORATEDMMSE1Y</i>		<i>Year1 Prorated Mmse Score At Screening [(30 * Mme Score) / (30 – Number Skipped Due To Non-Cognitive Reasons)]</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
606	Range	20 - 30 (median=29 mean=28.2 std=1.9)
371		Missing

<i>PRORATEDMMSE2Y</i>		<i>Year2 Prorated Mmse Score At Screening [(30 * Mme Score) / (30 – Number Skipped Due To Non-Cognitive Reasons)]</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
129	Range	22.5 - 30 (median=28.88889 mean=27.999629 std=1.756598)
848		Missing

<i>PRORATEDMMSE30M</i>		<i>30mos Prorated Mmse Score At Screening [(30 * Mme Score) / (30 – Number Skipped Due To Non-Cognitive Reasons)]</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
152	Range	22.22222 - 30 (median=29 mean=28.3 std=1.8)
825		Missing

<i>PRORATEDMMSE3Y</i>		<i>Year3 Prorated Mmse Score At Screening [(30 * Mme Score) / (30 – Number Skipped Due To Non-Cognitive Reasons)]</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
859	Range	14 - 30 (median=28 mean=27.8 std=2.3)
118		Missing

<i>PRORATEDMMSE6M</i>		<i>6mos Prorated Mmse Score At Screening [(30 * Mme Score) / (30 – Number Skipped Due To Non-Cognitive Reasons)]</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
879	Range	19 - 30 (median=29 mean=28.3 std=1.8)
98		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PRVCHDV41Y</i>		<i>Prevalent Chd-Unverified At 1y (ARIC V6, Definition 4)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18	T	
778	0	
144	1	
37		Missing

<i>PRVCHDV42Y</i>		<i>Prevalent Chd-Unverified At 2y (ARIC V6, Definition 4)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17	T	
744	0	
152	1	
64		Missing

<i>PRVCHDV43Y</i>		<i>Prevalent Chd-Unverified At 3y (ARIC V6, Definition 4)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	T	
741	0	
128	1	
99		Missing

<i>PRVCHDV4B</i>		<i>Prevalent Chd-Unverified At Baseline (ARIC V6, Definition 4)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	T	
824	0	
148	1	

<i>PRVSTRV21Y</i>		<i>Prevalent Stroke Or Tia-Unverified 1y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12	T	
836	0	
92	1	
37		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PRVSTRV22Y</i>		<i>Prevalent Stroke Or Tia-Unverified 2y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19	T	
806	0	
88	1	
64		Missing

<i>PRVSTRV23Y</i>		<i>Prevalent Stroke Or Tia-Unverified 3y (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12	T	
769	0	
97	1	
99		Missing

<i>PRVSTRV2B</i>		<i>Prevalent Stroke Or Tia-Unverified Baseline (ARIC V6, Definition 2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	T	
894	0	
79	1	

<i>PTABETTER1Y2</i>		<i>Pure Tone Average In The Better Hearing Ear Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	23 - 68 (median=39 mean=40.1 std=7.2)
376		Missing

<i>PTABETTER2Y2</i>		<i>Pure Tone Average In The Better Hearing Ear Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	30 - 58 (median=40 mean=40.9 std=6.3)
849		Missing

<i>PTABETTER3Y2</i>		<i>Pure Tone Average In The Better Hearing Ear Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	23 - 75 (median=41 mean=42.6 std=7.2)
125		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PTABETTERB2</i>		<i>Pure Tone Average In The Better Hearing Ear Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	30 - 66 (median=39 mean=39.4 std=6.9)

<i>PTABETTERCAT1Y2</i>		<i>Who 2019 Definition Of Pure Tone Average Categories In The Better Hearing Ear Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
143	1	
389	2	
68	3	
1	4	
376		Missing

<i>PTABETTERCAT1Y3</i>		<i>Who 2008, Pure Tone Average Categories In The Better Hearing Ear Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	0	
350	1	
243	2	
7	3	
376		Missing

<i>PTABETTERCAT2Y2</i>		<i>Who 2019 Definition Of Pure Tone Average Categories In The Better Hearing Ear Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21	1	
93	2	
14	3	
849		Missing

<i>PTABETTERCAT2Y3</i>		<i>Who 2008, Pure Tone Average Categories In The Better Hearing Ear Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
67	1	
61	2	
849		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PTABETTERCAT3Y2</i>		<i>Who 2019 Definition Of Pure Tone Average Categories In The Better Hearing Ear Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
99	1	
614	2	
131	3	
8	4	
125		Missing

<i>PTABETTERCAT3Y3</i>		<i>Who 2008, Pure Tone Average Categories In The Better Hearing Ear Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	0	
381	1	
456	2	
14	3	
125		Missing

<i>PTABETTERCATB1</i>		<i>Baseline Pure Tone Average Categories In The Better Hearing Ear – Stratification Variable</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
552	1	
425	2	

<i>PTABETTERCATB2</i>		<i>Who 2019 Definition Of Pure Tone Average Categories In The Better Hearing Ear Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
284	1	
600	2	
91	3	
2	4	

<i>PTABETTERCATB3</i>		<i>Who 2008, Pure Tone Average Categories In The Better Hearing Ear Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
610	1	
359	2	
8	3	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PTALEFT1Y2</i>		<i>Pure Tone Average, Left Ear Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	26.25 - 107.5 (median=41.25 mean=42.558 std=8.336)
376		Missing

<i>PTALEFT2Y2</i>		<i>Pure Tone Average, Left Ear Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	30 - 70 (median=42.5 mean=43.52 std=7.89)
849		Missing

<i>PTALEFT3Y2</i>		<i>Pure Tone Average, Left Ear Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	22.5 - 110 (median=43.75 mean=45.220 std=8.913)
125		Missing

<i>PTALEFTB2</i>		<i>Pure Tone Average, Left Ear Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	30 - 96.25 (median=41.25 mean=41.795 std=8.248)

<i>PTARIGHT1Y2</i>		<i>Pure Tone Average, Right Ear Adjusted For No Response On Aaf At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
601	Range	22.5 - 73.75 (median=41.25 mean=41.924 std=7.862)
376		Missing

<i>PTARIGHT2Y2</i>		<i>Pure Tone Average, Right Ear Adjusted For No Response On Aaf At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	30 - 70 (median=41.875 mean=43.1738 std=7.9133)
849		Missing

<i>PTARIGHT3Y2</i>		<i>Pure Tone Average, Right Ear Adjusted For No Response On Aaf At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	Range	27.5 - 92.5 (median=43.75 mean=44.759 std=8.414)
125		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>PTARIGHTB2</i>		<i>Pure Tone Average, Right Ear Adjusted For No Response On Aaf At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	30 - 88.75 (median=40 mean=41.4 std=8.0)

<i>PULSEV11Y</i>		<i>Mean Pulse Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 1y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	36 - 107 (median=66 mean=67.0 std=11.3)
375		Missing

<i>PULSEV12Y</i>		<i>Mean Pulse Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 2y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
130	Range	37 - 114 (median=67 mean=68.1 std=10.8)
847		Missing

<i>PULSEV13Y</i>		<i>Mean Pulse Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 3y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
851	Range	41 - 110 (median=68 mean=69.0 std=10.8)
126		Missing

<i>PULSEV1B</i>		<i>Mean Pulse Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
968	Range	39 - 113 (median=65 mean=66.3 std=10.5)
9		Missing

<i>QUICKSIN_AVG1Y</i>		<i>Quicksin Average Score , Average Of Quicksin Performance On Lists 1 And 2 At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
597	Range	0 - 29.5 (median=19 mean=17.5 std=6.0)
380		Missing

<i>QUICKSIN_AVG2Y</i>		<i>Quicksin Average Score , Average Of Quicksin Performance On Lists 1 And 2 At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
127	Range	0.5 - 29 (median=16.5 mean=17.09 std=6.11)
850		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>QUICKSIN_AVG3Y</i>		<i>Quicksin Average Score , Average Of Quicksin Performance On Lists 1 And 2 At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
841	Range	0 - 28.5 (median=16 mean=15.0 std=6.2)
136		Missing

<i>QUICKSIN_AVGB</i>		<i>Quicksin Average Score , Average Of Quicksin Performance On Lists 1 And 2 At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
972	Range	0.5 - 28.5 (median=19.5 mean=18.41 std=5.22)
5		Missing

<i>QUICKSIN_SNR_LOSS1Y</i>		<i>Quicksin Snr Loss, 25.5 - Quicksin Average Score At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
597	Range	-4 - 25.5 (median=6.5 mean=7.97 std=6.04)
380		Missing

<i>QUICKSIN_SNR_LOSS2Y</i>		<i>Quicksin Snr Loss, 25.5 - Quicksin Average Score At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
127	Range	-3.5 - 25 (median=9 mean=8.4 std=6.1)
850		Missing

<i>QUICKSIN_SNR_LOSS3Y</i>		<i>Quicksin Snr Loss, 25.5 - Quicksin Average Score At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
841	Range	-3 - 25.5 (median=9.5 mean=10.52 std=6.24)
136		Missing

<i>QUICKSIN_SNR_LOSSB</i>		<i>Quicksin Snr Loss, 25.5 - Quicksin Average Score At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
972	Range	-3 - 25 (median=6 mean=7.1 std=5.2)
5		Missing

<i>RACE</i>		<i>Participant Race</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
112	B	
858	W	
7		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RAN36_ENE_SCORE_1Y</i>		<i>Year 1 Rand36 Energy/Fatigue Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
932	Range	0 - 100 (median=65 mean=63.4 std=18.7)
45		Missing

<i>RAN36_ENE_SCORE_2Y</i>		<i>Year 2 Rand36 Energy/Fatigue Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
901	Range	0 - 100 (median=65 mean=62.5 std=19.3)
76		Missing

<i>RAN36_ENE_SCORE_3Y</i>		<i>Year 3 Rand36 Energy/Fatigue Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
871	Range	0 - 100 (median=60 mean=60.2 std=19.4)
106		Missing

<i>RAN36_ENE_SCORE_6M</i>		<i>6 Month Rand36 Energy/Fatigue Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	0 - 100 (median=65 mean=63.4 std=18.8)
47		Missing

<i>RAN36_ENE_SCORE_B</i>		<i>Baseline Rand36 Energy/Fatigue Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
976	Range	0 - 100 (median=65 mean=63.7 std=18.8)
1		Missing

<i>RAN36_EWB_SCORE_1Y</i>		<i>Year 1 Rand36 Emotional Wellbeing Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
932	Range	16 - 100 (median=88 mean=84.5 std=13.5)
45		Missing

<i>RAN36_EWB_SCORE_2Y</i>		<i>Year 2 Rand36 Emotional Wellbeing Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
901	Range	16 - 100 (median=88 mean=84.3 std=13.1)
76		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RAN36_EWB_SCORE_3Y</i>		<i>Year 3 Rand36 Emotional Wellbeing Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
871	Range	0 - 100 (median=88 mean=84.1 std=13.1)
106		Missing

<i>RAN36_EWB_SCORE_6M</i>		<i>6 Month Rand36 Emotional Wellbeing Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	20 - 100 (median=88 mean=84.6 std=13.5)
47		Missing

<i>RAN36_EWB_SCORE_B</i>		<i>Baseline Rand36 Emotional Wellbeing Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
976	Range	28 - 100 (median=88 mean=85.4 std=12.0)
1		Missing

<i>RAN36_GEN_SCORE_1Y</i>		<i>Year 1 Rand36 General Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	Range	5 - 100 (median=70 mean=69.1 std=17.8)
44		Missing

<i>RAN36_GEN_SCORE_2Y</i>		<i>Year 2 Rand36 General Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
901	Range	10 - 100 (median=70 mean=68.7 std=17.8)
76		Missing

<i>RAN36_GEN_SCORE_3Y</i>		<i>Year 3 Rand36 General Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
871	Range	10 - 100 (median=70 mean=66.9 std=18.3)
106		Missing

<i>RAN36_GEN_SCORE_6M</i>		<i>6 Month Rand36 General Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	15 - 100 (median=75 mean=71.1 std=17.5)
47		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RAN36_GEN_SCORE_B</i>		<i>Baseline Rand36 General Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	15 - 100 (median=70 mean=69.4 std=17.5)

<i>RAN36_PAI_SCORE_1Y</i>		<i>Year 1 Rand36 Pain Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
932	Range	0 - 100 (median=77.5 mean=72.56 std=23.22)
45		Missing

<i>RAN36_PAI_SCORE_2Y</i>		<i>Year 2 Rand36 Pain Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
901	Range	0 - 100 (median=70 mean=71.2 std=22.8)
76		Missing

<i>RAN36_PAI_SCORE_3Y</i>		<i>Year 3 Rand36 Pain Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
871	Range	0 - 100 (median=77.5 mean=70.59 std=24.40)
106		Missing

<i>RAN36_PAI_SCORE_6M</i>		<i>6 Month Rand36 Pain Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	0 - 100 (median=77.5 mean=72.64 std=23.38)
47		Missing

<i>RAN36_PAI_SCORE_B</i>		<i>Baseline Rand36 Pain Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	0 - 100 (median=77.5 mean=73.41 std=22.69)

<i>RAN36_PFN_SCORE_1Y</i>		<i>Year 1 Rand36 Physical Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	Range	0 - 100 (median=80 mean=72.7 std=23.9)
44		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RAN36_PFN_SCORE_2Y</i>		<i>Year 2 Rand36 Physical Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
901	Range	0 - 100 (median=75 mean=70.2 std=24.8)
76		Missing

<i>RAN36_PFN_SCORE_3Y</i>		<i>Year 3 Rand36 Physical Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
871	Range	0 - 100 (median=75 mean=68.7 std=25.3)
106		Missing

<i>RAN36_PFN_SCORE_6M</i>		<i>6 Month Rand36 Physical Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	0 - 100 (median=80 mean=74.2 std=22.8)
47		Missing

<i>RAN36_PFN_SCORE_B</i>		<i>Baseline Rand36 Physical Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	0 - 100 (median=80 mean=75.2 std=22.1)

<i>RAN36_RLE_SCORE_1Y</i>		<i>Year 1 Rand36 Role Limitations From Emotional Problems Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45	0	
59	33.3	
84	66.7	
744	100	
45		Missing

<i>RAN36_RLE_SCORE_2Y</i>		<i>Year 2 Rand36 Role Limitations From Emotional Problems Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43	0	
47	33.3	
76	66.7	
734	100	
77		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RAN36_RLE_SCORE_3Y</i>		<i>Year 3 Rand36 Role Limitations From Emotional Problems Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40	0	
53	33.3	
1	50	
57	66.7	
720	100	
106		Missing

<i>RAN36_RLE_SCORE_6M</i>		<i>6 Month Rand36 Role Limitations From Emotional Problems Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
53	0	
58	33.3	
86	66.7	
733	100	
47		Missing

<i>RAN36_RLE_SCORE_B</i>		<i>Baseline Rand36 Role Limitations From Emotional Problems Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31	0	
48	33.3	
87	66.7	
811	100	

<i>RAN36_RLP_SCORE_1Y</i>		<i>Year 1 Rand36 Role Limitations From Physical Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
125	0	
92	25	
100	50	
1	66.7	
120	75	
494	100	
45		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RAN36_RLP_SCORE_2Y</i>		<i>Year 2 Rand36 Role Limitations From Physical Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
137	0	
83	25	
99	50	
120	75	
462	100	
76		Missing

<i>RAN36_RLP_SCORE_3Y</i>		<i>Year 3 Rand36 Role Limitations From Physical Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
158	0	
110	25	
91	50	
84	75	
428	100	
106		Missing

<i>RAN36_RLP_SCORE_6M</i>		<i>6 Month Rand36 Role Limitations From Physical Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
119	0	
110	25	
1	33.3	
99	50	
133	75	
467	100	
48		Missing

<i>RAN36_RLP_SCORE_B</i>		<i>Baseline Rand36 Role Limitations From Physical Health Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
135	0	
94	25	
93	50	
138	75	
517	100	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RAN36_SFN_SCORE_1Y</i>		<i>Year 1 Rand36 Social Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	0	
11	12.5	
11	25	
23	37.5	
48	50	
65	62.5	
105	75	
95	87.5	
573	100	
45		Missing

<i>RAN36_SFN_SCORE_2Y</i>		<i>Year 2 Rand36 Social Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	0	
6	12.5	
12	25	
18	37.5	
39	50	
71	62.5	
120	75	
113	87.5	
517	100	
78		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RAN36_SFN_SCORE_3Y</i>		<i>Year 3 Rand36 Social Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	0	
1	12.5	
11	25	
34	37.5	
62	50	
75	62.5	
120	75	
114	87.5	
451	100	
106		Missing

<i>RAN36_SFN_SCORE_6M</i>		<i>6 Month Rand36 Social Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	0	
5	12.5	
20	25	
23	37.5	
51	50	
59	62.5	
120	75	
142	87.5	
509	100	
47		Missing

<i>RAN36_SFN_SCORE_B</i>		<i>Baseline Rand36 Social Functioning Scale Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	12.5	
15	25	
16	37.5	
52	50	
63	62.5	
125	75	
125	87.5	
579	100	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RESPDS1Y</i>		<i>Respiratory Disease– Self-Reported Or Medication Use At 1y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
850	0	
80	1	
37		Missing

<i>RESPDS2Y</i>		<i>Respiratory Disease– Self-Reported Or Medication Use At 2y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13	T	
827	0	
73	1	
64		Missing

<i>RESPDS3Y</i>		<i>Respiratory Disease– Self-Reported Or Medication Use At 3y</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	T	
807	0	
61	1	
99		Missing

<i>RESPDSB</i>		<i>Respiratory Disease– Self-Reported Or Medication Use At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	T	
894	0	
81	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RES_DNA</i>		<i>Restrictions On Dna Usage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35	ARIC Only	
822	Full Consent	
23	No for-profit or commercial use	
28	No use/storage DNA	
68	Not for Profit	
1		Missing

<i>RES_OTH</i>		<i>Restrictions On Other Procedures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35	ARIC Only	
826	Full Consent	
18	No Consent	
23	No for-profit or commercial use	
74	Not for Profit	
1		Missing

<i>RIGHT_TYPE1Y</i>		<i>Year 1 Adjudicated Right Ear Types Of Hearing Loss</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	Mixed	
78	Sensorineural	
895		Missing

<i>RIGHT_TYPE2Y</i>		<i>Year 2 Adjudicated Right Ear Types Of Hearing Loss</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	Sensorineural	
966		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>RIGHT_TYPE3Y</i>		<i>Y3 Clinic Adjudicated Right Ear Types Of Hearing Loss</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	Mixed	
2	Questionable	
305	Sensorineural	
662		Missing

<i>RIGHT_TYPEB</i>		<i>Screen And Baseline Adjudicated Right Ear Types Of Hearing Loss</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	Mixed	
2	Questionable	
969	Sensorineural	

<i>SOCIAL_NETWORKB</i>		<i>Social Network Size, Number Of People With Regular Contact At Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Range	1 - 63 (median=22 mean=22.4 std=10.6)

<i>SOCIAL_NETWORK_1Y</i>		<i>Social Network Size, Number Of People With Regular Contact At 1 Year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	Range	1 - 60 (median=21 mean=21.5 std=10.5)
44		Missing

<i>SOCIAL_NETWORK_2Y</i>		<i>Social Network Size, Number Of People With Regular Contact At 2 Years</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
901	Range	1 - 66 (median=19 mean=20.3 std=10.2)
76		Missing

<i>SOCIAL_NETWORK_3Y</i>		<i>Social Network Size, Number Of People With Regular Contact At 3 Years</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
873	Range	2 - 59 (median=19 mean=20.5 std=10.7)
104		Missing

<i>SOCIAL_NETWORK_6M</i>		<i>Social Network Size, Number Of People With Regular Contact At 6 Months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	1 - 53 (median=22 mean=22.6 std=10.6)
47		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>SPLIT3R</i>		<i>Type Of Contact For The Split Year 3 Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
130	Both	
732	In-Clinic Only	
15	Telephone Only	
100		Missing

<i>SPPB1Y</i>		<i>Year 1 Short Physical Performance Summary Battery Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
595	Range	0 - 12 (median=10 mean=9.8 std=2.2)
382		Missing

<i>SPPB2Y</i>		<i>Year 2 Short Physical Performance Summary Battery Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
126	Range	2 - 12 (median=10 mean=9.2 std=2.3)
851		Missing

<i>SPPB3Y</i>		<i>Year 3 Short Physical Performance Summary Battery Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
836	Range	0 - 12 (median=10 mean=9.1 std=2.6)
141		Missing

<i>SPPB4M1Y</i>		<i>Year 1 Physical Function 4 Meter Walk Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
337	T	
1	0	
11	1	
32	2	
71	3	
488	4	
37		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>SPPB4M2Y</i>		<i>Year 2 Physical Function 4 Meter Walk Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	T	
4	1	
10	2	
23	3	
91	4	
86		Missing

<i>SPPB4M3Y</i>		<i>Year 3 Physical Function 4 Meter Walk Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24	T	
13	0	
16	1	
49	2	
153	3	
614	4	
108		Missing

<i>SPPB4MB</i>		<i>Baseline Physical Function 4 Meter Walk Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	T	
1	0	
10	1	
34	2	
134	3	
792	4	

<i>SPPBB</i>		<i>Baseline Short Physical Performance Summary Battery Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
954	Range	0 - 12 (median=10 mean=9.9 std=2.1)
23		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>SPPBBAL1Y</i>		<i>Year 1 Physical Function Summary Balance Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	0	
24	1	
39	2	
70	3	
458	4	
379		Missing

<i>SPPBBAL2Y</i>		<i>Year 2 Physical Function Summary Balance Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	0	
9	1	
6	2	
22	3	
86	4	
851		Missing

<i>SPPBBAL3Y</i>		<i>Year 3 Physical Function Summary Balance Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40	0	
49	1	
51	2	
109	3	
599	4	
129		Missing

<i>SPPBBALB</i>		<i>Baseline Physical Function Summary Balance Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	0	
34	1	
49	2	
101	3	
773	4	
10		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>SPPBCS1Y</i>		<i>Year 1 Physical Function Chair Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
54	0	
84	1	
142	2	
154	3	
165	4	
378		Missing

<i>SPPBCS2Y</i>		<i>Year 2 Physical Function Chair Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	0	
25	1	
34	2	
31	3	
22	4	
850		Missing

<i>SPPBCS3Y</i>		<i>Year 3 Physical Function Chair Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
129	0	
164	1	
208	2	
185	3	
160	4	
131		Missing

<i>SPPBCSB</i>		<i>Baseline Physical Function Chair Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
81	0	
140	1	
224	2	
237	3	
282	4	
13		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>SPPBSBS1Y</i>		<i>Year 1 Physical Function Side-By-Side Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	0	
592	1	
378		Missing

<i>SPPBSBS2Y</i>		<i>Year 2 Physical Function Side-By-Side Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	0	
124	1	
850		Missing

<i>SPPBSBS3Y</i>		<i>Year 3 Physical Function Side-By-Side Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40	0	
811	1	
126		Missing

<i>SPPBSBSB</i>		<i>Baseline Physical Function Side-By-Side Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	0	
961	1	
6		Missing

<i>SPPBST1Y</i>		<i>Year 1 Physical Function Semi Tandem Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32	0	
567	1	
378		Missing

<i>SPPBST2Y</i>		<i>Year 2 Physical Function Semi Tandem Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12	0	
114	1	
851		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>SPPBST3Y</i>		<i>Year 3 Physical Function Semi Tandem Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
89	0	
760	1	
128		Missing

<i>SPPBSTB</i>		<i>Baseline Physical Function Semi Tandem Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45	0	
925	1	
7		Missing

<i>SPPBTS1Y</i>		<i>Year 1 Physical Function Tandem Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
71	0	
70	1	
458	2	
378		Missing

<i>SPPBTS2Y</i>		<i>Year 2 Physical Function Tandem Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18	0	
22	1	
86	2	
851		Missing

<i>SPPBTS3Y</i>		<i>Year 3 Physical Function Tandem Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
140	0	
109	1	
599	2	
129		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>SPPBTSB</i>		<i>Baseline Physical Function Tandem Stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
94	0	
101	1	
773	2	
9		Missing

<i>SPRT_IV11Y</i>		<i>Year 1 Sport During Leisure Time (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
929	Range	1 - 5 (median=2.75 mean=2.645 std=0.817)
48		Missing

<i>SPRT_IV12Y</i>		<i>Year 2 Sport During Leisure Time (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
894	Range	1 - 5 (median=2.75 mean=2.685 std=0.805)
83		Missing

<i>SPRT_IV13Y</i>		<i>Year 3 Sport During Leisure Time (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
870	Range	1 - 5 (median=2.5 mean=2.62 std=0.80)
107		Missing

<i>SPRT_IV1B</i>		<i>Baseline Sport During Leisure Time (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
971	Range	1 - 5 (median=2.5 mean=2.57 std=0.78)
6		Missing

<i>SUBJECTID</i>		<i>ACHIEVE SubjectID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
977	Present	Text suppressed

<i>SYSTOLICV11Y</i>		<i>Mean Systolic Bp Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 1y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	73 - 193 (median=126 mean=128.0 std=17.8)
375		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

SYSTOLICV12Y		<i>Mean Systolic Bp Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 2y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
130	Range	73 - 194 (median=127 mean=130.3 std=19.9)
847		Missing

SYSTOLICV13Y		<i>Mean Systolic Bp Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At 3y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
851	Range	65 - 180 (median=126 mean=125.6 std=16.5)
126		Missing

SYSTOLICV1B		<i>Mean Systolic Bp Of 2nd And 3rd Measurements, If 3rd Missing Then 2nd Value At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
968	Range	86 - 191 (median=129 mean=130.9 std=17.3)
9		Missing

TR1WALK4MSPV11Y		<i>Year 1 4m Walking Speed For Trial 1 (M/Sec), ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	0.27 - 1.63 (median=0.95 mean=0.940 std=0.210)
375		Missing

TR1WALK4MSPV12Y		<i>Year 2 4m Walking Speed For Trial 1 (M/Sec), ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	0.3 - 1.33 (median=0.89 mean=0.879 std=0.210)
849		Missing

TR1WALK4MSPV13Y		<i>Year 3 4m Walking Speed For Trial 1 (M/Sec), ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
832	Range	0.22 - 1.67 (median=0.91 mean=0.902 std=0.212)
145		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>TR1WALK4MSPV1B</i>		<i>Baseline 4m Walking Speed For Trial 1 (M/Sec), ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
970	Range	0.21 - 1.53 (median=0.96 mean=0.956 std=0.203)
7		Missing

<i>TR2WALK4MSPV11Y</i>		<i>Year 1 4m Walking Speed For Trial 2 (M/Sec) , ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	0.23 - 1.59 (median=1 mean=1.0 std=0.2)
375		Missing

<i>TR2WALK4MSPV12Y</i>		<i>Year 2 4m Walking Speed For Trial 2 (M/Sec) , ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	0.33 - 1.49 (median=0.935 mean=0.9193 std=0.2143)
849		Missing

<i>TR2WALK4MSPV13Y</i>		<i>Year 3 4m Walking Speed For Trial 2 (M/Sec) , ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
832	Range	0.21 - 2 (median=0.95 mean=0.946 std=0.222)
145		Missing

<i>TR2WALK4MSPV1B</i>		<i>Baseline 4m Walking Speed For Trial 2 (M/Sec) , ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
970	Range	0.28 - 2 (median=1 mean=1.0 std=0.2)
7		Missing

<i>TREATMENT</i>		<i>ACHIEVE Treatment 1=hearing, 2=education</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
490	1	
487	2	

<i>TYPE_VISIT18M</i>		<i>18 - Month Type Of Visit, Either In-Person, Phone Or Both</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
354	INPERSON	
559	PHONE	
64		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>TYPE_VISIT1Y</i>		<i>Year 1 Type Of Visit, Either In-Person, Phone Or Both</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
606	INPERSON	
327	PHONE	
44		Missing

<i>TYPE_VISIT2Y</i>		<i>Year 2 Type Of Visit, Either In-Person, Phone Or Both</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	BOTH	
129	INPERSON	
775	PHONE	
72		Missing

<i>TYPE_VISIT30M</i>		<i>30 - Month Type Of Visit, Either In-Person, Phone Or Both</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
439	INPERSON	
446	PHONE	
92		Missing

<i>TYPE_VISIT3Y</i>		<i>Year 3 Type Of Visit, Either In-Person, Phone Or Both</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
130	BOTH	
732	INPERSON	
15	PHONE	
100		Missing

<i>TYPE_VISIT6M</i>		<i>6 - Month Type Of Visit, Either In-Person, Phone Or Both</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
882	INPERSON	
48	PHONE	
47		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>UCLA_LONELINESS_SCORE1Y</i>		<i>Year 1 Ucla Loneliness Scale Score, Items 1,5,6,9,10,15,16,19,20 Reversed. If Any Item Missing, Score Set To Missing.</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
926	Range	20 - 67 (median=31 mean=32.2 std=8.7)
51		Missing

<i>UCLA_LONELINESS_SCORE2Y</i>		<i>Year 2 Ucla Loneliness Scale Score, Items 1,5,6,9,10,15,16,19,20 Reversed. If Any Item Missing, Score Set To Missing.</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
899	Range	20 - 70 (median=31 mean=32.5 std=8.7)
78		Missing

<i>UCLA_LONELINESS_SCORE3Y</i>		<i>Year 3 Ucla Loneliness Scale Score, Items 1,5,6,9,10,15,16,19,20 Reversed. If Any Item Missing, Score Set To Missing.</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
868	Range	20 - 75 (median=31 mean=32.9 std=8.9)
109		Missing

<i>UCLA_LONELINESS_SCORE6M</i>		<i>6 - Month Ucla Loneliness Scale Score, Items 1,5,6,9,10,15,16,19,20 Reversed. If Any Item Missing, Score Set To Missing.</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
918	Range	20 - 75 (median=31 mean=32.3 std=8.7)
59		Missing

<i>UCLA_LONELINESS_SCOREB</i>		<i>Baseline Ucla Loneliness Scale Score, Items 1,5,6,9,10,15,16,19,20 Reversed. If Any Item Missing, Score Set To Missing.</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
961	Range	20 - 66 (median=31 mean=32.7 std=8.5)
16		Missing

<i>UNABLETOWALKV11Y</i>		<i>Year 1 Indicator Variable Noting Ppt Unable To Or No Attempt To Walk 4m, ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
603	0	
1	1	
373		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>UNABLETOWALKV12Y</i>		<i>Year 2 Indicator Variable Noting Ppt Unable To Or No Attempt To Walk 4m, ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	0	
849		Missing

<i>UNABLETOWALKV13Y</i>		<i>Year 3 Indicator Variable Noting Ppt Unable To Or No Attempt To Walk 4m, ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
840	0	
13	1	
124		Missing

<i>UNABLETOWALKV1B</i>		<i>Baseline Indicator Variable Noting Ppt Unable To Or No Attempt To Walk 4m, ARIC V6 Definition 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
971	0	
1	1	
5		Missing

<i>VISIT_DATE18M_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To 18 - Month Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
913	Range	434 - 673 (median=537 mean=541.4 std=25.1)
64		Missing

<i>VISIT_DATE18M_YEAR</i>		<i>Year Of 18 - Month Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
220	2019	
543	2020	
150	2021	
64		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>VISIT_DATE1Y_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To Year 1 Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
933	Range	266 - 551 (median=364 mean=367.1 std=26.5)
44		Missing

<i>VISIT_DATE1Y_YEAR</i>		<i>Year Of Year 1 Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
495	2019	
438	2020	
44		Missing

<i>VISIT_DATE2Y_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To Year 2 Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
905	Range	671 - 987 (median=728 mean=731.3 std=29.2)
72		Missing

<i>VISIT_DATE2Y_YEAR</i>		<i>Year Of Year 2 Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	2019	
473	2020	
429	2021	
72		Missing

<i>VISIT_DATE30M_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To 30 - Month Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
885	Range	831 - 1027 (median=906 mean=908.2 std=22.1)
92		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>VISIT_DATE30M_YEAR</i>		<i>Year Of 30 - Month Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
210	2020	
541	2021	
134	2022	
92		Missing

<i>VISIT_DATE3Y_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To Year 3 Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
877	Range	910 - 1672 (median=1098 mean=1118.5 std=64.0)
100		Missing

<i>VISIT_DATE3Y_YEAR</i>		<i>Year Of Year 3 Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
462	2021	
415	2022	
100		Missing

<i>VISIT_DATE6M_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To 6 - Month Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
930	Range	110 - 313 (median=182 mean=183.5 std=23.5)
47		Missing

<i>VISIT_DATE6M_YEAR</i>		<i>Year Of 6 - Month Date Of Visit If The Participant Has Both A Phone And Inperson Visit Then This Date Is Set The Date Of The Inperson Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
224	2018	
569	2019	
137	2020	
47		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>VLASTVBWTDELTA</i>		<i>Percent Of Baseline Weight Change From Baseline To Last Measured Visit (Neg Val Means Loss) - Used In Frailty Weight Loss Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
912	Range	-33.8053 - 21.93548 (median=-1.83866 mean=-2.281967 std=6.246624)
65		Missing

<i>WALK4M1Y</i>		<i>Year 1 Physical Function 4 Meter Walk, Fastest Time Of 2 Trials</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	2.46 - 14.68 (median=3.94 mean=4.269 std=1.351)
375		Missing

<i>WALK4M2Y</i>		<i>Year 2 Physical Function 4 Meter Walk, Fastest Time Of 2 Trials</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	2.69 - 12.07 (median=4.225 mean=4.5922 std=1.4690)
849		Missing

<i>WALK4M3Y</i>		<i>Year 3 Physical Function 4 Meter Walk, Fastest Time Of 2 Trials</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
832	Range	2 - 18.56 (median=4.145 mean=4.4504 std=1.3880)
145		Missing

<i>WALK4MB</i>		<i>Baseline Physical Function 4 Meter Walk, Fastest Time Of 2 Trials</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
970	Range	2 - 14.37 (median=3.94 mean=4.160 std=1.157)
7		Missing

<i>WALK4MV21Y</i>		<i>Year 1 Physical Function 4 Meter Walk, Average Time Of 2 Trials, Both Trials With Aid Or Both Trials Without Aid (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
599	Range	2.62 - 15.925 (median=4.1 mean=4.46 std=1.43)
378		Missing

<i>WALK4MV22Y</i>		<i>Year 2 Physical Function 4 Meter Walk, Average Time Of 2 Trials, Both Trials With Aid Or Both Trials Without Aid (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	2.885 - 12.63 (median=4.3675 mean=4.78309 std=1.53203)
849		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>WALK4MV23Y</i>		<i>Year 3 Physical Function 4 Meter Walk, Average Time Of 2 Trials, Both Trials With Aid Or Both Trials Without Aid (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
826	Range	2.485 - 18.745 (median=4.33 mean=4.640 std=1.457)
151		Missing

<i>WALK4MV2B</i>		<i>Baseline Physical Function 4 Meter Walk, Average Time Of 2 Trials, Both Trials With Aid Or Both Trials Without Aid (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
968	Range	2.415 - 16.915 (median=4.1075 mean=4.33617 std=1.25362)
9		Missing

<i>WALKAIDV11Y</i>		<i>Year 1 Physical Function 4 Meter Walk: Used Walking Aid (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
338	T	
579	0	
23	1	
37		Missing

<i>WALKAIDV12Y</i>		<i>Year 2 Physical Function 4 Meter Walk: Used Walking Aid (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	T	
118	0	
10	1	
86		Missing

<i>WALKAIDV13Y</i>		<i>Year 3 Physical Function 4 Meter Walk: Used Walking Aid (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37	T	
773	0	
59	1	
108		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>WALKAIDV1B</i>		<i>Baseline Physical Function 4 Meter Walk: Used Walking Aid (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	T	
943	0	
27	1	

<i>WALKAIDV21Y</i>		<i>Year 1 Physical Function 4 Meter Walk: Used Walking Aid In Both Trials (Use With Walk4mv2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
378	T	
578	0	
21	1	

<i>WALKAIDV22Y</i>		<i>Year 2 Physical Function 4 Meter Walk: Used Walking Aid In Both Trials (Use With Walk4mv2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
849	T	
118	0	
10	1	

<i>WALKAIDV23Y</i>		<i>Year 3 Physical Function 4 Meter Walk: Used Walking Aid In Both Trials (Use With Walk4mv2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
151	T	
769	0	
57	1	

<i>WALKAIDV2B</i>		<i>Baseline Physical Function 4 Meter Walk: Used Walking Aid In Both Trials (Use With Walk4mv2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	T	
943	0	
25	1	

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>WALKSPEED15FTV11Y</i>		<i>Year 1 Time In Seconds Used To Walk 15ft - Used In Frailty Slowness Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	2.81178 - 16.77924 (median=4.50342 mean=4.879755 std=1.543681)
375		Missing

<i>WALKSPEED15FTV12Y</i>		<i>Year 2 Time In Seconds Used To Walk 15ft - Used In Frailty Slowness Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	Range	3.07467 - 13.79601 (median=4.829175 mean=5.2488701 std=1.6790723)
849		Missing

<i>WALKSPEED15FTV13Y</i>		<i>Year 3 Time In Seconds Used To Walk 15ft - Used In Frailty Slowness Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
832	Range	2.286 - 21.21408 (median=4.737735 mean=5.0867895 std=1.5865399)
145		Missing

<i>WALKSPEED15FTV1B</i>		<i>Baseline Time In Seconds Used To Walk 15ft - Used In Frailty Slowness Component</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
970	Range	2.286 - 16.42491 (median=4.50342 mean=4.754668 std=1.322655)
7		Missing

<i>WITHDRAW_DT_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To Date Of Withdrawal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30	Range	0 - 1378 (median=111.5 mean=377.43 std=451.92)
947		Missing

<i>WITHDRAW_DT_YEAR</i>		<i>Year Of Date Of Withdrawal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	2018	
17	2019	
6	2020	
2	2021	
3	2022	
947		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.2)

<i>WSTHPRV11Y</i>		<i>Waist-To-Hip Ratio At 1y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
602	Range	0.65 - 1.15 (median=0.94 mean=0.933 std=0.084)
375		Missing

<i>WSTHPRV12Y</i>		<i>Waist-To-Hip Ratio At 2y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
129	Range	0.77 - 1.12 (median=0.95 mean=0.942 std=0.078)
848		Missing

<i>WSTHPRV13Y</i>		<i>Waist-To-Hip Ratio At 3y (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
849	Range	0.52 - 1.65 (median=0.94 mean=0.937 std=0.088)
128		Missing

<i>WSTHPRV1B</i>		<i>Waist-To-Hip Ratio At Baseline (ARIC V6, Definition 1)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
967	Range	0.66 - 1.2 (median=0.93 mean=0.927 std=0.083)
10		Missing