

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

SA Intervention Check-up Form: FORM CODE=SICF\_NP VERSION=03.00

Data set name: SICF\_NP

<i>ACHIEVE_VISIT</i>		<i>ACHIEVE Visit Recoded V7 / Ncs To Screen And Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1424	Intervention	
40	Unscheduled Visits	

<i>FORM</i>		<i>FORM</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464	SICF	

<i>ID_C</i>		<i>Scrambled Cohort And De Novo Visit ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464	Present	Text suppressed

<i>OCCURRENCE</i>		<i>OCCURRENCE</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
422	1	
361	2	
346	3	
335	4	

<i>SICF0A_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To Sicf Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464	Range	1023 - 1661 ( median=1156 mean=1177.3 std=81.4 )

<i>SICF0A_YEAR</i>		<i>Year Of Sicf Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
585	2021	
845	2022	
34	2023	

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF0C</i>		<i>Sicf Start Time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1455	Range	0:45 - 16:10
9		Missing

<i>SICF0CHR</i>		<i>Hour Of Sicf Start Time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1455	Range	0 - 16 ( median=11 mean=11.2 std=2.2 )
9		Missing

<i>SICF0CMN</i>		<i>Minute Of Sicf Start Time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1455	Range	0 - 59 ( median=9 mean=17.4 std=18.9 )
9		Missing

<i>SICF0CSC</i>		<i>Second Of Sicf Start Time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF0D</i>		<i>Sicf End Time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1455	Range	0:52 - 20:36
9		Missing

<i>SICF0DHR</i>		<i>Hour Of Sicf End Time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1455	Range	0 - 20 ( median=12 mean=11.9 std=2.5 )
9		Missing

<i>SICF0DMN</i>		<i>Minute Of Sicf End Time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1455	Range	0 - 59 ( median=30 mean=29.3 std=16.5 )
9		Missing

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF0DSC</i>		<i>Second Of Sicf End Time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10</i>		<i>Audiogramdirect Was Completed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
179	N	
1285		Missing

<i>SICF10A1</i>		<i>Right Ear 250 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10A2</i>		<i>Right Ear 500 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10A3</i>		<i>Right Ear 1000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10A4</i>		<i>Right Ear 2000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10A5</i>		<i>Right Ear 3000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10A6</i>		<i>Right Ear 4000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10A7</i>		<i>Right Ear 6000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF10B1</i>		<i>Left Ear 250 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10B2</i>		<i>Left Ear 500 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10B3</i>		<i>Left Ear 1000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10B4</i>		<i>Left Ear 2000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10B5</i>		<i>Left Ear 3000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10B6</i>		<i>Left Ear 4000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF10B7</i>		<i>Left Ear 6000 Air Threshold</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF11</i>		<i>Audiologist Or Participant Experienced Remote Session Complications Or Difficulties</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
121	N	
60	Y	
1283		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>SICF11A</i>		<i>Cause Of Remote Session Complications/Difficulties</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16	A	
1	B	
4	C	
22	I	
17	O	
1404		Missing

<i>SICF11B</i>		<i>Remote Session Complications/Difficulties Were Resolved</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37	N	
23	Y	
1404		Missing

<i>SICF12</i>		<i>Hearing Aid Daily Use From Data Logging Collected During This Visit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
754	N	
619	Y	
91		Missing

<i>SICF12A</i>		<i>Average Daily Use Of Right Hearing Aid</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
608	Range	0.1 - 20.6 ( median=8.5 mean=8.17 std=4.21 )
856		Missing

<i>SICF12B</i>		<i>Average Daily Use Of Left Hearing Aid</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
608	Range	0.1 - 20.6 ( median=8.5 mean=8.14 std=4.22 )
856		Missing

<i>SICF13A1</i>		<i>Provided Myphonak App</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
623	N	
841	Y	

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF13A2</i>		<i>Participant Used Myphonak App</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
98	N	
661	Y	
705		Missing

<i>SICF13B1</i>		<i>Provided Partnermic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1369	N	
95	Y	

<i>SICF13B2</i>		<i>Participant Used Partnermic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30	N	
45	Y	
1389		Missing

<i>SICF13C1</i>		<i>Provided Tv Connector</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1200	N	
264	Y	

<i>SICF13C2</i>		<i>Participant Used Tv Connector</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
89	N	
144	Y	
1231		Missing

<i>SICF13D1</i>		<i>Provided Phonak Remote Control</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1462	N	
2	Y	

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF13D2</i>		<i>Participant Used Phonak Remote Control</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Y	
1462		Missing

<i>SICF13E1</i>		<i>Provided Roger Select</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1205	N	
259	Y	

<i>SICF13E2</i>		<i>Participant Used Roger Select</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
63	N	
149	Y	
1252		Missing

<i>SICF13F1</i>		<i>Provided Roger Pen</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1388	N	
76	Y	

<i>SICF13F2</i>		<i>Participant Used Roger Pen</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23	N	
38	Y	
1403		Missing

<i>SICF13G1</i>		<i>Provided Direct Bluetooth Connectivity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
802	N	
662	Y	

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF13G2</i>		<i>Participant Used Direct Bluetooth Connectivity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42	N	
534	Y	
888		Missing

<i>SICF14A</i>		<i>Eaa Performed For The Right Hearing Aid</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
514	N	
380	Y	
570		Missing

<i>SICF14A1</i>		<i>Right Hearing Aid Operational Based On The Eaa</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
380	Y	
1084		Missing

<i>SICF14B</i>		<i>Eaa Performed For The Left Hearing Aid</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
518	N	
375	Y	
571		Missing

<i>SICF14B1</i>		<i>Left Hearing Aid Operational Based On The Eaa</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
375	Y	
1089		Missing

<i>SICF15</i>		<i>Real Ear Data Assessed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
449	B	
10	L	
365	N	
5	R	
65	X	
570		Missing



Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>SICF15A</i>		<i>Real Ear Data Sii Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
452	Range	24 - 92 ( median=62 mean=61.0 std=12.3 )
1012		Missing

<i>SICF15B</i>		<i>Real Ear Data Sii Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	8 - 91 ( median=61 mean=60.0 std=12.4 )
1006		Missing

<i>SICF16A1</i>		<i>Targets 65-Input Level-500 Hz, Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453	Range	53 - 84 ( median=59 mean=60.6 std=3.7 )
1011		Missing

<i>SICF16A2</i>		<i>Targets 65-Input Level-1000 Hz, Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453	Range	50 - 83 ( median=61 mean=61.8 std=4.6 )
1011		Missing

<i>SICF16A3</i>		<i>Targets 65-Input Level-2000 Hz, Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453	Range	59 - 92 ( median=72 mean=72.3 std=5.6 )
1011		Missing

<i>SICF16A4</i>		<i>Targets 65-Input Level-4000 Hz, Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453	Range	60 - 99 ( median=74 mean=74.6 std=5.7 )
1011		Missing

<i>SICF16A5</i>		<i>Real-Ear Aided Response-500 Hz, Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453	Range	49 - 78 ( median=57 mean=57.4 std=3.1 )
1011		Missing

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF16A6</i>		<i>Real-Ear Aided Response-1000 Hz, Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453	Range	46 - 89 ( median=58 mean=58.7 std=5.7 )
1011		Missing

<i>SICF16A7</i>		<i>Real-Ear Aided Response-2000 Hz, Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453	Range	53 - 90 ( median=72 mean=72.2 std=5.9 )
1011		Missing

<i>SICF16A8</i>		<i>Real-Ear Aided Response-4000 Hz, Right</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453	Range	48 - 91 ( median=72 mean=71.8 std=5.9 )
1011		Missing

<i>SICF16B1</i>		<i>Targets 65-Input Level-500 Hz, Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	53 - 82 ( median=59 mean=60.7 std=4.3 )
1006		Missing

<i>SICF16B2</i>		<i>Targets 65-Input Level-1000 Hz, Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	46 - 85 ( median=61 mean=62.1 std=5.0 )
1006		Missing

<i>SICF16B3</i>		<i>Targets 65-Input Level-2000 Hz, Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	57 - 98 ( median=73 mean=73.0 std=5.8 )
1006		Missing

<i>SICF16B4</i>		<i>Targets 65-Input Level-4000 Hz, Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	57 - 94 ( median=75 mean=75.3 std=6.1 )
1006		Missing

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF16B5</i>		<i>Real-Ear Aided Response-500 Hz, Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	52 - 82 ( median=56 mean=57.4 std=3.5 )
1006		Missing

<i>SICF16B6</i>		<i>Real-Ear Aided Response-1000 Hz, Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	46 - 83 ( median=58 mean=59.0 std=6.0 )
1006		Missing

<i>SICF16B7</i>		<i>Real-Ear Aided Response-2000 Hz, Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	49 - 93 ( median=73 mean=72.8 std=6.2 )
1006		Missing

<i>SICF16B8</i>		<i>Real-Ear Aided Response-4000 Hz, Left</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458	Range	56 - 89 ( median=72 mean=72.0 std=5.8 )
1006		Missing

<i>SICF17</i>		<i>Quick Sin Assessed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
894	N	
570		Missing

<i>SICF17A1</i>		<i>List 1 # Correct Words- S/N25</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17A2</i>		<i>List 1 # Correct Words- S/N20</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17A3</i>		<i>List 1 # Correct Words- S/N15</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>SICF17A4</i>		<i>List 1 # Correct Words- S/N10</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17A5</i>		<i>List 1 # Correct Words- S/N5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17A6</i>		<i>List 1 # Correct Words- S/N0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17B1</i>		<i>List 2 # Correct Words- S/N25</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17B2</i>		<i>List 2 # Correct Words- S/N20</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17B3</i>		<i>List 2 # Correct Words- S/N15</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17B4</i>		<i>List 2 # Correct Words- S/N10</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17B5</i>		<i>List 2 # Correct Words- S/N5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

<i>SICF17B6</i>		<i>List 2 # Correct Words- S/N0</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464		Missing

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF1A</i>		<i>Right Hearing Aid Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
321	A	
850	B	
288	C	
4	D	
1	E	

<i>SICF1B</i>		<i>Left Hearing Aid Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
321	A	
850	B	
288	C	
4	D	
1	E	

<i>SICF2A</i>		<i>Right Hearing Aid Receiver Size</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
273	0M	
5	0P	
17	0S	
728	1M	
29	1P	
27	1S	
314	2M	
29	2P	
7	2S	
34	3M	
1		Missing

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF2B</i>		<i>Left Hearing Aid Receiver Size</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
272	0M	
5	0P	
15	0S	
716	1M	
43	1P	
25	1S	
314	2M	
33	2P	
5	2S	
30	3M	
5	3S	
1		Missing

<i>SICF3A</i>		<i>Right Dome Type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
53	C	
99	E	
226	O	
478	P	
607	V	
1		Missing

<i>SICF3A1</i>		<i>Right Dome Size</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
194	L	
554	M	
615	S	
101		Missing

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF3B</i>		<i>Left Dome Type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48	C	
102	E	
211	O	
496	P	
606	V	
1		Missing

<i>SICF3B1</i>		<i>Left Dome Size</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
194	L	
575	M	
592	S	
103		Missing

<i>SICF4</i>		<i>How The Session Was Completed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	C	
40	H	
854	O	
428	P	
141	R	

<i>SICF5</i>		<i>Completed The Phonak Target Internet Test</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64	N	
112	Y	
1288		Missing

<i>SICF6</i>		<i>Device Connected For Remote Session</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
55	A	
117	I	
1292		Missing

**Section 1: No PHI ACHIEVE Final Data Sets (V1.0)**

<i>SICF7</i>		<i>Internet Connection Method</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18	D	
7	N	
150	W	
1289		Missing

<i>SICF8</i>		<i>Participant Internet Connection Speed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13	A	
163	X	
1288		Missing

<i>SICF9</i>		<i>Programming Changes Were Made</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
153	N	
24	Y	
1287		Missing

<i>SUBJECTID</i>		<i>ACHIEVE SubjectID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1464	Present	Text suppressed

<i>VERS</i>		<i>VERS</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	0100	
304	0200	
1151	0300	