



Description of ARIC Visit 5 NCS Stage 1

Description of ARIC Visit 5 NCS Stage 1

The ARIC cohort initially comprised 15,792 participants aged 45-64 years in 1987-1989, recruited from four communities: Forsyth County, NC, Jackson, MS, suburban Minneapolis, MN, and Washington County, MD. ARIC performed four examinations of the cohort between 1987 and 1998, and had followed the cohort thereafter primarily with annual telephone interviews.

Between June 1, 2011 and August 30, 2013, ARIC conducted a fifth examination, which required most of a day at a local research clinic. A shorter examination at the clinic, or at the participant's home or care facility, was substituted when necessary. ARIC staff recruited participants to the examination primarily via telephone. After informed consent, the full examination included biospecimen collection, measurement of cardiovascular risk factors, an electrocardiogram, and echocardiogram, abdominal aortic ultrasound, pulmonary function, ankle/brachial index, pulse wave velocity, and an extensive neurocognitive battery. The institutional review boards of each ARIC center approved the protocol.

Of 10,749 original cohort members deemed alive at the start of visit, 713 (6.6%) died during the 15-month recruitment period without having visit 5, leaving 10,036 who were either examined or not examined but alive through August 2013. Of these, 6,538 (age range=66 to 90 years) took part in visit 5 (5,918 full clinic exams, 228 abbreviated clinic exams, 392 home or care facility exams). The overall visit 5 response rate therefore was 65% (6,538/10,036)-- 55% in Forsyth County, 66% in Jackson, 69% in suburban Minneapolis, and 70% in Washington County.

A comparison of pre-visit 5 characteristics between responders and various non-responder groups showed that age, illness, smoking, and other health-related factors were key determinants of response. The best average 1987-2010 health profiles and lowest mean age, not unexpectedly, were found in those who completed visit 5 (n=6,538), followed by those who refused or were unable to do visit 5 (n=3,498), followed by those who died before or during visit 5 (n=5,756), who on average had been the oldest and least healthy cohort members. Table R9 details cohort characteristics.



ARIC Visit 5 Recruitment and Data Management Report
Table R9. Characteristics of the Cohort by Participant Status
 Based on Data Retrieved January 22, 2014

<i>Description</i>	<i>Category</i>	<i>Died Before V5 (N=5043)</i>		<i>V5 Done (N=6538)</i>		<i>Eligible for V5 but Died before V5 Done (N=713)</i>		<i>Refused (N=3498)</i>	
		<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>
Field center	F	1235	31	1433	36	193	5	1174	29
	J	1444	39	1416	38	153	4	715	19
	M	1057	26	1915	48	177	4	860	21
	W	1307	33	1774	44	190	5	749	19
Baseline age category	44-50	818	16	2924	58	147	3	1194	23
	51-57	1590	28	2452	44	235	4	1304	23
	>57	2635	51	1162	23	331	6	1000	20
Age category at V5	Missing	5043	55	0	0	712	8	3496	38
	65-73	0	0	2611	100	0	0	2	0
	74-80	0	0	2556	100	0	0	0	0
	>80	0	0	1371	100	1	0	0	0
Sex	F	2286	26	3845	44	359	4	2222	26
	M	2757	39	2693	38	354	5	1276	18
Race	A	4	11	12	34	2	6	17	49
	B	1643	38	1544	36	180	4	901	21
	I	6	43	6	43	0	0	2	14
	W	3390	30	4976	43	531	5	2578	22

* Percentages are computed from the row totals

¹ from AFU, restricted to population of V5 done or refused.



ARIC Visit 5 Recruitment and Data Management Report
Table R9. Characteristics of the Cohort by Participant Status
 Based on Data Retrieved January 22, 2014

<i>Description</i>	<i>Category</i>	<i>Died Before V5 (N=5043)</i>		<i>V5 Done (N=6538)</i>		<i>Eligible for V5 but Died before V5 Done (N=713)</i>		<i>Refused (N=3498)</i>	
		<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>
Baseline prevalent CHD	Missing	141	41	130	38	13	4	60	17
	N	4375	30	6284	43	668	5	3355	23
	Y	527	69	124	16	32	4	83	11
Baseline prevalent stroke	Missing	1284	35	1479	40	169	5	738	20
	N	3603	30	4983	42	533	5	2717	23
	Y	156	55	76	27	11	4	43	15
Baseline Smoking	Missing	3	0	5	0	2	0	1	0
	Current smoker	1934	47	1170	28	208	5	820	20
	Former smoker	1588	31	2166	43	246	5	1072	21
	Never smoke	1517	23	3194	49	256	4	1605	24
	Unknown	1	20	3	60	1	20	0	0
Baseline high BP	Missing	33	36	38	42	8	9	12	13
	N	2970	27	5091	46	452	4	2542	23
	Y	2040	44	1409	30	253	5	944	20

* Percentages are computed from the row totals

¹ from AFU, restricted to population of V5 done or refused.



ARIC Visit 5 Recruitment and Data Management Report
Table R9. Characteristics of the Cohort by Participant Status
 Based on Data Retrieved January 22, 2014

<i>Description</i>	<i>Category</i>	<i>Died Before V5 (N=5043)</i>		<i>V5 Done (N=6538)</i>		<i>Eligible for V5 but Died before V5 Done (N=713)</i>		<i>Refused (N=3498)</i>	
		<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>
Baseline diabetes	Missing	53	38	49	36	4	3	32	23
	N	4033	29	6189	44	625	4	3246	23
	Y	957	61	300	19	84	5	220	14
Prior ARIC incident CHD event	N	3537	28	5684	44	531	4	3027	24
	Y	1506	50	854	28	182	6	471	16
Prior ARIC incident HF event	Missing	526	51	275	26	54	5	184	18
	N	2944	24	5888	48	489	4	3047	25
	Y	1573	66	375	16	170	7	267	11
Prior ARIC incident stroke event	N	4362	30	6327	43	636	4	3309	23
	Y	681	59	211	18	77	7	189	16
Attended visit 4	N	2371	57	433	10	159	4	1173	28
	Y	2672	23	6105	52	554	5	2325	20
Had been lost to follow-up before V5	N	5043	33	6470	42	712	5	3071	20
	Y	0	0	68	14	1	0	427	86
Living in nursing home before V5	Missing	4772	100	0	0	0	0	3	0
	N	250	2	6514	60	665	6	3420	32
	Y	21	13	24	14	48	29	75	45

* Percentages are computed from the row totals

¹ from AFU, restricted to population of V5 done or refused.



ARIC Visit 5 Recruitment and Data Management Report
Table R9. Characteristics of the Cohort by Participant Status
 Based on Data Retrieved January 22, 2014

<i>Description</i>	<i>Category</i>	<i>Died Before V5 (N=5043)</i>		<i>V5 Done (N=6538)</i>		<i>Eligible for V5 but Died before V5 Done (N=713)</i>		<i>Refused (N=3498)</i>	
		<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>
Lives within ARIC field center boundaries before V5	Missing	4775	100	0	0	0	0	3	0
	N	86	3	1254	47	195	7	1128	42
	Y	182	2	5284	63	518	6	2367	28
Possibly permanently resident out of state before V5	Missing	4772	100	0	0	0	0	3	0
	N	243	2	6108	61	642	6	3042	30
	Y	28	3	430	44	71	7	453	46
Self-reported health before V5	Missing	117	0	0	0	0	0	1	0
	Excellent	393	14	1635	60	77	3	620	23
	Fair	1665	43	1111	29	243	6	821	21
	Good	1490	20	3654	50	295	4	1870	26
	Poor	1378	77	138	8	98	5	186	10

* Percentages are computed from the row totals

¹ from AFU, restricted to population of V5 done or refused.

ARIC Visit 5 Recruitment and Data Management Report
Table R9. Characteristics of the Cohort by Participant Status
 Based on Data Retrieved January 22, 2014

<i>Description</i>	<i>Category</i>	<i>Died Before V5 (N=5043)</i>		<i>V5 Done (N=6538)</i>		<i>Eligible for V5 but Died before V5 Done (N=713)</i>		<i>Refused (N=3498)</i>	
		<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>	<i>N</i>	<i>%*</i>
Prior AFU interview via proxy/informant before V5	N	4964	32	6459	42	616	4	3301	22
	Y	79	17	79	17	97	21	197	44
Definite prevalent HF at V5	N	3927	28	6163	44	545	4	3251	23
	Y	1116	59	375	20	168	9	247	13
Definite or possible prevalent HF at V5	N	3089	26	5408	46	439	4	2856	24
	Y	1954	49	1130	28	274	7	642	16
Self-reported hypertension before V5 ¹	Missing	0	0	2	1	0	0	211	99
	N	0	0	2168	68	0	0	1007	32
	Y	0	0	4368	66	0	0	2280	34
Self-reported diabetes before V5 ¹	Missing	0	0	2	1	0	0	211	99
	N	0	0	5126	67	0	0	2510	33
	Y	0	0	1410	64	0	0	777	36
Self-reported smoking before V5 ¹	Missing	0	0	2	1	0	0	211	99
	N	0	0	6217	67	0	0	3014	33
	Y	0	0	319	54	0	0	273	46

* Percentages are computed from the row totals

¹ from AFU, restricted to population of V5 done or refused.