## **ARIC Manuscript Proposal # 1204**

PC Reviewed: _12/_19/06	Status:D_	Priority:2_
SC Reviewed:	<b>Status:</b>	Priority:

- **1.a. Full Title**: MMP gene variation influences fibrous cap thickness: The Atherosclerosis Risk in Communities (ARIC) study.
  - **b. Abbreviated Title (Length 26 characters)**: MMP gene variation influences fibrous cap thickness

## 2. Writing Group:

Writing group members: Boerwinkle, Volcik, Folsom, Chambless, Heiss, Wagenknecht, Mosley, Coresh, Wasserman, Ni, plus others.

I, the first author, confirm that all the coauthors have given their approval for this manuscript proposal. \_\_\_\_ [please confirm with your initials electronically or in writing]

First author: Eric Boerwinkle

Address: 1200 Herman Pressler, Suite E-447

Houston, TX 77030

Phone: 713-500-9816 Fax: 713-500-0900

E-mail: Eric.Boerwinkle@uth.tmc.edu

Corresponding/senior author (if different from first author correspondence will be sent to both the first author & the corresponding author): Same

**3. Timeline**: Preliminary analyses can begin immediately. Final analyses will need to await data collection.

## 4. Rationale:

Matrix metaloproteases are a family of enzymes involved in cleavage and degradation of fibrillar collagen. There is known DNA sequence variation in MMP 1, 2, 3, 7, 9 and 12 that have been previously associated with a variety of CVD-related phenotypes (Yi (2006) Cardiovasc Res 15: 636.). One mechanism by which MMP gene variation may influence CVD risk is via the proteins influence on fibrous cap thickness (Newby (2005) Physiol Rev 85: 1).

One of the primary outcome variables of the carotid MRI protocol is fibrous cap thickness. This study will examine the role of DNA sequence variation in the MMP genes in influencing fibrous cap thickness in those participants in the carotid MRI study having identified plaque. Although the exact variable reflecting cap thickness has not been identified, two variables MEAN\_MIN\_CAP\_THICKNESS and Min\_Cap\_Thickness will be initially considered for this analysis.

## 5. Main Hypothesis/Study Questions:

Null hypothesis 1: DNA sequence variation in the MMP genes is not associated with presence of visible plaque.

Null hypothesis 2: DNA sequence variation in the MMP genes is not associated with presence of plaque with a lipid core.

Null hypothesis 3: DNA sequence variation in the MMP genes is not associated with fibrous cap thickness. (continuous variable analyses)

Null hypothesis 4: DNA sequence variation in the MMP genes is not associated with presence of thin walled plaques. (categorical variable analyses)

6. Design and analysis (study design, inclusion/exclusion, outcome and other variables of interest with specific reference to the time of their collection, summary of data analysis, and any anticipated methodologic limitations or challenges if present).

Routine descriptive statistics will be used for the genotype and allele counts. Presence of visible plaque and presence of a lipid core in those plaques will be considered as categorical (i.e. 0, 1) variables. For the main study hypothesis, the primary dependent variable is fibrous cap thickness. Although the exact variable reflecting cap thickness has not been identified, two variables MEAN\_MIN\_CAP\_THICKNESS and Min\_Cap\_Thickness will be initially considered for this analysis. Consistent with the May 2006 coordinating center report, the definition of plaque will use a cut point of 6.1. Fibrous cap will be analyzed both as a continuous variable and as a thick/thin categorical variable. Again, consistent with the May 2006 coordinating center report, 0.16 will be used as the cut-point for thick/thin. Race, sex and age will be used as covariates. Because of the recruitment strategy, which incorporated information on carotid artery wall thickness, weighted analyses will be used for the proposed genotype-phenotype analyses.

- 7.a. Will the data be used for non-CVD analysis in this manuscript? Yes X No
  - b. If Yes, is the author aware that the file ICTDER02 must be used to exclude persons with a value RES\_OTH = "CVD Research" for non-DNA analysis, and for DNA analysis RES\_DNA = "CVD Research" would be used? \_\_\_ Yes \_\_\_ No (This file ICTDER02 has been distributed to ARIC PIs, and contains the responses to consent updates related to stored sample use for research.)

8.a. Will the DNA data be used in this manuscript?	X_	_Yes	No
8.b. If yes, is the author aware that either DNA data distrib Coordinating Center must be used, or the file ICTDER exclude those with value RES_DNA = "No use/storage	R02 must b	oe used 1	
9. The lead author of this manuscript proposal has review ARIC Study manuscript proposals and has found no overla and previously approved manuscript proposals either publications. ARIC Investigators have access to the publications lists	ap between ished or stander the	n this pr till in ac Study N	r <b>oposal</b> <b>tive</b> ⁄Iembers
Area of the web site at: <a href="http://www.cscc.unc.edu/ARIC/search">http://www.cscc.unc.edu/ARIC/search</a>	<u>.php</u> _X	_ Yes _	No
10. What are the most related manuscript proposals in Alencouraged to contact lead authors of these proposals for coproposal or collaboration)? None  11. a. Is this manuscript proposal associated with any ARIC any ancillary study data?	omments o	on the n	s or use
encouraged to contact lead authors of these proposals for coproposal or collaboration)? None	omments o	on the n	s or use
encouraged to contact lead authors of these proposals for coproposal or collaboration)? None  11. a. Is this manuscript proposal associated with any ARIO	omments o	on the n	s or use
encouraged to contact lead authors of these proposals for coproposal or collaboration)? None  11. a. Is this manuscript proposal associated with any ARIC any ancillary study data?	omments of ancillaryX (list numberry data p	on the n y studies Yes _ er* _200 laying a	s or use No 04.11_) a minor

12. Manuscript preparation is expected to be completed in one to three years. If a manuscript is not submitted for ARIC review at the end of the 3-years from the date of the approval, the manuscript proposal will expire.