

## ARIC Manuscript Proposal # 971

PC Reviewed: 11/21/03  
SC Reviewed: 11/24/03

Status: A  
Status: A

Priority: 2  
Priority: 1

**1.a. Full Title:** Use of invasive and noninvasive cardiac diagnostic procedures for hospitalized myocardial infarction; disparities, trends, and outcomes. The Atherosclerosis Risk in Communities Study

**b. Abbreviated Title (Length 26 characters):** Trends in CV Procedures

**2. Writing Group (list individual with lead responsibility first):**

Lead: Camille A. Pearte  
Address: NHLBI/DECA  
6701 Rockledge Drive, Rm. 8157  
Bethesda, MD 20817  
Phone: 301-435-1284, 443-722-1200  
Fax: 301-480-1667  
E-mail: cpearte1@jhem.jhmi.edu / [vigilanc@nhlbi.nih.gov](mailto:vigilanc@nhlbi.nih.gov)

**Writing group members:**

Merle Myerson, Teri Manolio, Robert McNamara, Jingzhong Ding, Wayne Rosamond

**3. Timeline:** Data Analysis Fall 2003  
Manuscript preparation Winter 2003-04

**4. Rationale:**

The past several years have brought significant advances in the management of patients with acute myocardial infarction (MI) with dramatic increases in the use of many cardiac procedures (1). The benefits of invasive procedures such as percutaneous transluminal coronary angioplasty (PTCA) in many patients have been clearly demonstrated and have received much attention (2). However, non-invasive diagnostic procedures such as echocardiography and exercise stress testing have also been shown to be useful especially in determination of prognosis post MI (3). Nonetheless, despite the benefits and indications, numerous studies have shown that the use of these procedures varies widely by a number of factors. Disparities have been observed by patient race (4-11), gender (12;13), age (14;15), socioeconomic status (16;17), insurance status (18;19), and geographic location (20-22), usually with blacks, women, and the poor less likely to undergo these procedures. It has also been shown that CHD mortality differs along many lines similar to those seen with differences in procedure usage, with blacks, women, and the poor often having worse outcomes (23-26), and it has also been suggested that differences in the use of these procedures may be related to outcomes (27-32).

Given that procedure use is very clearly related to health care costs of which coronary artery disease makes up a large share (33), and that health disparities and health care quality and costs have become issues of increasing public concern and attention, it is important that use of these procedures be better understood. Most of the studies examining the use of cardiac procedures have been largely focused only on documenting the disparities. Only a small fraction of the differences have been actually related to factors such as patient preferences (34;35) and clinical characteristics (36;37), and physician characteristics (38-42). The literature has also been focused predominantly on the use of invasive cardiac procedures such as angiography, PTCA, and coronary artery bypass graft (CABG) surgery. The use of noninvasive diagnostic procedures has not been well explored. In addition, the reasons for the known and potential disparities and how much they may be related to outcomes are still unclear.

ARIC surveillance data obtained through 2000 allows for an analysis of both invasive and noninvasive cardiac testing for a large number of patients hospitalized for acute myocardial infarction in the United States by patient and hospital characteristics over time. It also allows for some evaluation of morbidity and mortality outcomes relative to receiving procedures.

## **5. Main Hypothesis/Study Questions:**

1. The performance of coronary angiography and noninvasive cardiovascular diagnostic procedures for patients hospitalized with acute MI differs by patient characteristics including gender, ethnicity, age, and insurance type.
2. These differences are not fully accounted for by patient clinical factors.
3. These differences are related to patient outcomes.
4. The use of these procedures and the disparities in use has changed over time.

## **6. Data (variables, time window, source, inclusions/exclusions):**

ARIC community surveillance data from admissions with acute MI.

### **Outcomes:**

Procedures performed – coronary angiography, cardiac stress testing, echo, PTCA, CABG.  
(Cardiac CT or MRI if any data available)  
Patient morbidity (hospital readmissions)  
Patient mortality (30-day & 1 year)

### **Independent variables:**

Patient characteristics – age, race, gender, diagnoses, clinical factors, MI severity,  
CV risk factors, comorbidities, health insurance status.  
Hospital characteristics – hospital type, geographic region, subspecialty care

### **Analyses:**

Examine CV procedure rates by gender, ethnicity, age, and insurance type & trends over time  
Examine the associations between procedures and independent variables to identify predictors of receiving or not receiving each procedure/diagnostic test.

**7 a. Will the data be used for non-CVD analysis in this manuscript?**    ☐ Yes    ☒ No

**b. If Yes, is the author aware that the file ICTDER02 must be used to exclude persons with a value RES\_OTH = “CVD Research” for non-DNA analysis, and for DNA analysis RES\_DNA = “CVD Research” would be used?**

(This file ICTDER02 has been distributed to ARIC PIs, and contains the responses to consent updates related to stored sample use for research.)

**8 a. Will the DNA data be used in this manuscript?**    ☐ Yes    ☒ No

**8 b. If yes, is the author aware that either DNA data distributed by the Coordinating Center must be used, or the file ICTDER02 must be used to exclude those with value RES\_DNA = “No use/storage DNA”?**    N/A

**9. The lead author of this manuscript proposal has reviewed the list of existing ARIC Study manuscript proposals and has found no overlap between this proposal and previously approved manuscript proposals either published or still in active status. ARIC Investigators have access to the publications lists under the Study Members Area of the web site at:**  
<http://bios.unc.edu/units/csc/ARIC/stdy/studymem.html>

☒ Yes    ☐ No

**10. What are the most related manuscript proposals in ARIC (authors are encouraged to contact lead authors of these proposals for comments on the new proposal or collaboration)?**

Proposal #550: McNamara - Trends in angiography    Status: Inactive

- This proposal has been inactive. The authors have been contacted and are willing for the lead to be taken over with them as co-authors, extending analysis to also include noninvasive cardiac procedures, differences by patient characteristics, and associations with outcomes.

Proposal #85: Rosamond - Medical care and survival.    Status: Active

Proposal #395: Rosamond - Trends in medication use for hospitalized MI.    Status: Active

Weitzman S, Cooper L, Chambless L, et al. Gender, racial, and geographic differences in the performance of cardiac diagnostic and therapeutic procedures for hospitalized acute myocardial Infarction in four states. Am J Cardiol 1997; 79: 722-726.

- This paper covered years 1987-1991. This current proposal will be an update with addition of years from 1991-2000 and will include noninvasive tests.

**11. Manuscript preparation is expected to be completed in one to three years. If a manuscript is not submitted for ARIC review at the end of the 3-years from the date of the approval, the manuscript proposal will expire.**

## REFERENCES

### Reference List

- (1) Gore JM, Goldberg RJ, Alpert JS, Dalen JE. The increased use of diagnostic procedures in patients with acute myocardial infarction. A community-wide perspective. *Arch Intern Med* 1987; 147(10):1729-1732.
- (2) Keeley EC, Boura JA, Grines CL. Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: a quantitative review of 23 randomised trials. *Lancet* 2003; 361(9351):13-20.
- (3) Peterson ED, Shaw LJ, Califf RM. Risk stratification after myocardial infarction. *Ann Intern Med* 1997; 126(7):561-582.
- (4) Funk M, Ostfeld AM, Chang VM, Lee FA. Racial differences in the use of cardiac procedures in patients with acute myocardial infarction. *Nurs Res* 2002; 51(3):148-157.
- (5) Chen J, Rathore SS, Radford MJ, Wang Y, Krumholz HM. Racial differences in the use of cardiac catheterization after acute myocardial infarction. *N Engl J Med* 2001; 344(19):1443-1449.
- (6) Kressin NR, Petersen LA. Racial differences in the use of invasive cardiovascular procedures: review of the literature and prescription for future research. *Ann Intern Med* 2001; 135(5):352-366.
- (7) Gillum RF, Gillum BS, Francis CK. Coronary revascularization and cardiac catheterization in the United States: trends in racial differences. *J Am Coll Cardiol* 1997; 29(7):1557-1562.
- (8) Giles WH, Anda RF, Casper ML, Escobedo LG, Taylor HA. Race and sex differences in rates of invasive cardiac procedures in US hospitals. Data from the National Hospital Discharge Survey. *Arch Intern Med* 1995; 155(3):318-324.
- (9) Whittle J, Conigliaro J, Good CB, Lofgren RP. Racial differences in the use of invasive cardiovascular procedures in the Department of Veterans Affairs medical system. *N Engl J Med* 1993; 329(9):621-627.
- (10) Wenneker MB, Epstein AM. Racial inequalities in the use of procedures for patients with ischemic heart disease in Massachusetts. *JAMA* 1989; 261(2):253-257.
- (11) Ford ES, Cooper RS. Racial/ethnic differences in health care utilization of cardiovascular procedures: a review of the evidence. *Health Serv Res* 1995; 30(1 Pt 2):237-252.
- (12) Weitzman S, Cooper L, Chambless L, Rosamond W, Clegg L, Marcucci G et al. Gender, racial, and geographic differences in the performance of cardiac diagnostic and therapeutic procedures for hospitalized acute myocardial infarction in four states. *Am J Cardiol* 1997; 79(6):722-726.
- (13) Giacomini MK. Gender and ethnic differences in hospital-based procedure utilization in California. *Arch Intern Med* 1996; 156(11):1217-1224.
- (14) Spencer FA, Goldberg RJ, Frederick PD, Malmgren J, Becker RC, Gore JM. Age and the utilization of cardiac catheterization following uncomplicated first acute myocardial infarction treated with thrombolytic therapy (The Second National Registry of Myocardial Infarction [NRMI-2]). *Am J Cardiol* 2001; 88(2):107-111.
- (15) Pilote L, Miller DP, Califf RM, Rao JS, Weaver WD, Topol EJ. Determinants of the use of coronary angiography and revascularization after thrombolysis for acute myocardial infarction. *N Engl J Med* 1996; 335(16):1198-1205.

- (16) Philbin EF, McCullough PA, DiSalvo TG, Dec GW, Jenkins PL, Weaver WD. Socioeconomic status is an important determinant of the use of invasive procedures after acute myocardial infarction in New York State. *Circulation* 2000; 102(19 Suppl 3):III107-III115.
- (17) Alter DA, Naylor CD, Austin P, Tu JV. Effects of socioeconomic status on access to invasive cardiac procedures and on mortality after acute myocardial infarction. *N Engl J Med* 1999; 341(18):1359-1367.
- (18) Philbin EF, McCullough PA, DiSalvo TG, Dec GW, Jenkins PL, Weaver WD. Underuse of invasive procedures among Medicaid patients with acute myocardial infarction. *Am J Public Health* 2001; 91(7):1082-1088.
- (19) Guadagnoli E, Landrum MB, Peterson EA, Gahart MT, Ryan TJ, McNeil BJ. Appropriateness of coronary angiography after myocardial infarction among Medicare beneficiaries. Managed care versus fee for service. *N Engl J Med* 2000; 343(20):1460-1466.
- (20) Garg PP, Landrum MB, Normand SL, Ayanian JZ, Hauptman PJ, Ryan TJ et al. Understanding individual and small area variation in the underuse of coronary angiography following acute myocardial infarction. *Med Care* 2002; 40(7):614-626.
- (21) Guadagnoli E, Hauptman PJ, Ayanian JZ, Pashos CL, McNeil BJ, Cleary PD. Variation in the use of cardiac procedures after acute myocardial infarction. *N Engl J Med* 1995; 333(9):573-578.
- (22) Pilote L, Califf RM, Sapp S, Miller DP, Mark DB, Weaver WD et al. Regional variation across the United States in the management of acute myocardial infarction. GUSTO-1 Investigators. Global Utilization of Streptokinase and Tissue Plasminogen Activator for Occluded Coronary Arteries. *N Engl J Med* 1995; 333(9):565-572.
- (23) White AD, Rosamond WD, Chambless LE, Thomas N, Conwill D, Cooper LS et al. Sex and race differences in short-term prognosis after acute coronary heart disease events: the Atherosclerosis Risk In Communities (ARIC) study. *Am Heart J* 1999; 138(3 Pt 1):540-548.
- (24) Williams JE, Massing M, Rosamond WD, Sorlie PD, Tyroler HA. Racial disparities in CHD mortality from 1968-1992 in the state economic areas surrounding the ARIC study communities. *Atherosclerosis Risk in Communities*. *Ann Epidemiol* 1999; 9(8):472-480.
- (25) Escobedo LG, Giles WH, Anda RF. Socioeconomic status, race, and death from coronary heart disease. *Am J Prev Med* 1997; 13(2):123-130.
- (26) Ding J, Diez Roux AV, Nieto FJ, McNamara RL, Hetmanski JB, Taylor HA, Jr. et al. Racial disparity in long-term mortality rate after hospitalization for myocardial infarction: the Atherosclerosis Risk in Communities study. *Am Heart J* 2003; 146(3):459-464.
- (27) Peterson ED, Shaw LK, DeLong ER, Pryor DB, Califf RM, Mark DB. Racial variation in the use of coronary-revascularization procedures. Are the differences real? Do they matter? *N Engl J Med* 1997; 336(7):480-486.
- (28) Selby JV, Fireman BH, Lundstrom RJ, Swain BE, Truman AF, Wong CC et al. Variation among hospitals in coronary-angiography practices and outcomes after myocardial infarction in a large health maintenance organization. *N Engl J Med* 1996; 335(25):1888-1896.
- (29) Gornick ME, Eggers PW, Reilly TW, Mentnech RM, Fitterman LK, Kucklen LE et al. Effects of race and income on mortality and use of services among Medicare beneficiaries. *N Engl J Med* 1996; 335(11):791-799.

- (30) Peterson ED, Wright SM, Daley J, Thibault GE. Racial variation in cardiac procedure use and survival following acute myocardial infarction in the Department of Veterans Affairs. *JAMA* 1994; 271(15):1175-1180.
- (31) Pilote L, Saynina O, Lavoie F, McClellan M. Cardiac procedure use and outcomes in elderly patients with acute myocardial infarction in the United States and Quebec, Canada, 1988 to 1994. *Med Care* 2003; 41(7):813-822.
- (32) Gabriel SP, Iung B, Feldman LJ, Maggioni AP, Keil U, Deckers J et al. Determinants of use and outcomes of invasive coronary procedures in acute coronary syndromes: results from ENACT. *Eur Heart J* 2003; 24(7):613-622.
- (33) Eisenstein EL, Shaw LK, Anstrom KJ, Nelson CL, Hakim Z, Hasselblad V et al. Assessing the clinical and economic burden of coronary artery disease: 1986-1998. *Med Care* 2001; 39(8):824-835.
- (34) Whittle J, Conigliaro J, Good CB, Joswiak M. Do patient preferences contribute to racial differences in cardiovascular procedure use? *J Gen Intern Med* 1997; 12(5):267-273.
- (35) Heidenreich PA, Shlipak MG, Geppert J, McClellan M. Racial and sex differences in refusal of coronary angiography. *Am J Med* 2002; 113(3):200-207.
- (36) Conigliaro J, Whittle J, Good CB, Hanusa BH, Passman LJ, Lofgren RP et al. Understanding racial variation in the use of coronary revascularization procedures: the role of clinical factors. *Arch Intern Med* 2000; 160(9):1329-1335.
- (37) Manhapra A, Canto JG, Barron HV, Malmgren JA, Taylor H, Rogers WJ et al. Underutilization of reperfusion therapy in eligible African Americans with acute myocardial infarction: Role of presentation and evaluation characteristics. *Am Heart J* 2001; 142(4):604-610.
- (38) Ibrahim SA, Whittle J, Bean-Mayberry B, Kelley ME, Good C, Conigliaro J. Racial/Ethnic Variations in Physician Recommendations for Cardiac Revascularization. *Am J Public Health* 2003; 93(10):1689-1693.
- (39) Rathore SS, Chen J, Wang Y, Radford MJ, Vaccarino V, Krumholz HM. Sex differences in cardiac catheterization: the role of physician gender. *JAMA* 2001; 286(22):2849-2856.
- (40) Schulman KA, Berlin JA, Harless W, Kerner JF, Sistrunk S, Gersh BJ et al. The effect of race and sex on physicians' recommendations for cardiac catheterization. *N Engl J Med* 1999; 340(8):618-626.
- (41) Guadagnoli E, Landrum MB, Normand SL, Ayanian JZ, Garg P, Hauptman PJ et al. Impact of underuse, overuse, and discretionary use on geographic variation in the use of coronary angiography after acute myocardial infarction. *Med Care* 2001; 39(5):446-458.
- (42) Rathore SS, Wang Y, Radford MJ, Ordin DL, Krumholz HM. Sex differences in cardiac catheterization after acute myocardial infarction: the role of procedure appropriateness. *Ann Intern Med* 2002; 137(6):487-493.