

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

Neurocognitive Battery Summary Telephone Form: FORM CODE=NCST_NP VERSION=01.00

Data set name: NCST_NP

<i>ACHIEVE_VISIT</i>		<i>ACHIEVE Visit Recoded V7 / Ncs To Screen And Baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	Year 1	
560	Year 2	
143	Year 3	

<i>FORM</i>		<i>FORM</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	NCST	

<i>ID_C</i>		<i>Scrambled Cohort And De Novo Visit ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	Present	Text suppressed

<i>NCST0A_FOLLOWUPDAYS</i>		<i>Days Of Follow Up From Randomization Date To Ncst Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	Range	335 - 1255 (median=731 mean=754.7 std=199.0)

<i>NCST0A_YEAR</i>		<i>Year Of Ncst Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
288	2020	
501	2021	
9	2022	

<i>NCST0C</i>		<i>Interviewer Device</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
387	A	
411	B	

<i>NCST0D</i>		<i>Participant Device</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
429	A	
369	B	

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST1</i>		<i>Mme/Cdp Hybrid (Mcht) Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	N	

<i>NCST1A</i>		<i>Reason Mme/Cdp Hybrid (Mcht) Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798		Missing

<i>NCST2</i>		<i>Cerad Immediate Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
775	N	
23	Y	

<i>NCST2A</i>		<i>Reason Cerad Immediate Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	B	
15	C	
6	D	
1	I	
775		Missing

<i>NCST2B1</i>		<i>Cerad Immediate Trial 1 Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
770	N	
5	Y	
23		Missing

<i>NCST2B10</i>		<i>Cerad Imm Trial 1 Order Ticket Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
770	Range	0 - 10 (median=0 mean=1.5 std=2.3)
28		Missing

<i>NCST2B11</i>		<i>Cerad Imm Trial 1 Order Grass Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
770	Range	0 - 10 (median=1.5 mean=1.86 std=2.12)
28		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST2B12</i>		<i>Cerad Imm Trial 1 Order Engine Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
770	Range	0 - 10 (median=1 mean=1.6 std=2.0)
28		Missing

<i>NCST2B13</i>		<i>Cerad Immediate Trial 1 Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
770	Range	0 - 10 (median=5 mean=4.8 std=1.8)
28		Missing

<i>NCST2B2</i>		<i>Reason Cerad Immediate Trial 1 Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	C	
2	D	
793		Missing

<i>NCST2B3</i>		<i>Cerad Imm Trial 1 Order Butter Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
177	0	
377	1	
29	2	
60	3	
54	4	
44	5	
17	6	
7	7	
4	8	
1	10	
28		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

NCST2B4		Cerad Imm Trial 1 Order Arm Named
N	Value	Description
301	0	
30	1	
235	2	
57	3	
54	4	
45	5	
29	6	
14	7	
4	8	
1	9	
28		Missing

NCST2B5		Cerad Imm Trial 1 Order Shore Named
N	Value	Description
770	Range	0 - 10 (median=0 mean=1.7 std=2.1)
28		Missing

NCST2B6		Cerad Imm Trial 1 Order Letter Named
N	Value	Description
547	0	
18	1	
26	2	
46	3	
49	4	
38	5	
31	6	
7	7	
8	8	
28		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST2B7</i>		<i>Cerad Imm Trial 1 Order Queen Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
460	0	
21	1	
41	2	
92	3	
81	4	
35	5	
22	6	
15	7	
3	8	
28		Missing

<i>NCST2B8</i>		<i>Cerad Imm Trial 1 Order Cabin Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
478	0	
23	1	
34	2	
69	3	
79	4	
44	5	
24	6	
11	7	
7	8	
1	9	
28		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST2B9</i>		<i>Cerad Imm Trial 1 Order Pole Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
441	0	
21	1	
66	2	
92	3	
60	4	
45	5	
24	6	
13	7	
6	8	
2	9	
28		Missing

<i>NCST2C1</i>		<i>Cerad Immediate Trial 2 Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	N	
2	Y	
28		Missing

<i>NCST2C10</i>		<i>Cerad Imm Trial 2 Order Letter Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=0 mean=2.1 std=2.5)
30		Missing

<i>NCST2C11</i>		<i>Cerad Imm Trial 2 Order Pole Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=2 mean=2.2 std=2.4)
30		Missing

<i>NCST2C12</i>		<i>Cerad Imm Trial 2 Order Grass Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=1 mean=2.4 std=2.4)
30		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST2C13</i>		<i>Cerad Immediate Trial 2 Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	1	
14	2	
27	3	
55	4	
118	5	
179	6	
178	7	
117	8	
55	9	
24	10	
30		Missing

<i>NCST2C2</i>		<i>Reason Cerad Immediate Trial 2 Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	
1	C	
796		Missing

<i>NCST2C3</i>		<i>Cerad Imm Trial 2 Order Ticket Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=1 mean=2.3 std=2.5)
30		Missing

<i>NCST2C4</i>		<i>Cerad Imm Trial 2 Order Cabin Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=2 mean=2.6 std=2.7)
30		Missing

<i>NCST2C5</i>		<i>Cerad Imm Trial 2 Order Butter Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=3 mean=2.8 std=2.4)
30		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST2C6</i>		<i>Cerad Imm Trial 2 Order Shore Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=3 mean=2.8 std=2.7)
30		Missing

<i>NCST2C7</i>		<i>Cerad Imm Trial 2 Order Engine Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
362	0	
49	1	
45	2	
78	3	
66	4	
71	5	
42	6	
35	7	
12	8	
8	9	
30		Missing

<i>NCST2C8</i>		<i>Cerad Imm Trial 2 Order Arm Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=3 mean=3.1 std=2.6)
30		Missing

<i>NCST2C9</i>		<i>Cerad Imm Trial 2 Order Queen Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	Range	0 - 10 (median=2 mean=2.6 std=2.7)
30		Missing

<i>NCST2D1</i>		<i>Cerad Immediate Trial 3 Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	N	
2	Y	
30		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST2D10</i>		<i>Cerad Imm Trial 3 Order Engine Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=2 mean=2.8 std=2.8)
32		Missing

<i>NCST2D11</i>		<i>Cerad Imm Trial 3 Order Ticket Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=2 mean=2.8 std=2.4)
32		Missing

<i>NCST2D12</i>		<i>Cerad Imm Trial 3 Order Letter Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=1 mean=2.3 std=2.4)
32		Missing

<i>NCST2D13</i>		<i>Cerad Immediate Trial 3 Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	1	
1	2	
15	3	
35	4	
59	5	
140	6	
179	7	
159	8	
126	9	
51	10	
32		Missing

<i>NCST2D2</i>		<i>Reason Cerad Immediate Trial 3 Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	D	
796		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST2D3</i>		<i>Cerad Imm Trial 3 Order Queen Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=2 mean=3.1 std=2.7)
32		Missing

<i>NCST2D4</i>		<i>Cerad Imm Trial 3 Order Grass Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=2 mean=3.0 std=3.0)
32		Missing

<i>NCST2D5</i>		<i>Cerad Imm Trial 3 Order Arm Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=3 mean=3.6 std=2.7)
32		Missing

<i>NCST2D6</i>		<i>Cerad Imm Trial 3 Order Cabin Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=3 mean=3.3 std=2.8)
32		Missing

<i>NCST2D7</i>		<i>Cerad Imm Trial 3 Order Pole Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=3 mean=3.0 std=3.0)
32		Missing

<i>NCST2D8</i>		<i>Cerad Imm Trial 3 Order Shore Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=4 mean=3.6 std=2.7)
32		Missing

<i>NCST2D9</i>		<i>Cerad Imm Trial 3 Order Butter Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
766	Range	0 - 10 (median=3 mean=3.4 std=2.6)
32		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST3</i>		<i>Digit Span Backwards Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
797	N	
1	Y	

<i>NCST3A</i>		<i>Reason Digit Span Backwards Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	B	
797		Missing

<i>NCST3B</i>		<i>Score For Digit Span Backwards</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
794	Range	0 - 12 (median=6 mean=6.2 std=2.3)
4		Missing

<i>NCST4</i>		<i>Cerad Delayed Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	N	
2	Y	
33		Missing

<i>NCST4A</i>		<i>Reason Cerad Delayed Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	B	
1	D	
796		Missing

<i>NCST4B1</i>		<i>Cerad Delayed Order Butter Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	Range	0 - 10 (median=2 mean=2.4 std=2.4)
35		Missing

<i>NCST4B10</i>		<i>Cerad Delayed Order Engine Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	Range	0 - 10 (median=1 mean=2.3 std=2.8)
35		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

NCST4B2		Cerad Delayed Order Arm Named
N	Value	Description
763	Range	0 - 10 (median=2 mean=2.7 std=2.4)
35		Missing

NCST4B3		Cerad Delayed Order Shore Named
N	Value	Description
763	Range	0 - 10 (median=2 mean=2.5 std=2.5)
35		Missing

NCST4B4		Cerad Delayed Order Letter Named
N	Value	Description
763	Range	0 - 10 (median=0 mean=1.8 std=2.7)
35		Missing

NCST4B5		Cerad Delayed Order Queen Named
N	Value	Description
200	0	
167	1	
81	2	
87	3	
79	4	
66	5	
38	6	
31	7	
10	8	
4	9	
35		Missing

NCST4B6		Cerad Delayed Order Cabin Named
N	Value	Description
763	Range	0 - 10 (median=2 mean=2.6 std=2.4)
35		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST4B7</i>		<i>Cerad Delayed Order Pole Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	Range	0 - 10 (median=2 mean=2.4 std=2.8)
35		Missing

<i>NCST4B8</i>		<i>Cerad Delayed Order Ticket Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	Range	0 - 10 (median=1 mean=2.4 std=2.7)
35		Missing

<i>NCST4B9</i>		<i>Cerad Delayed Order Grass Named</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	Range	0 - 10 (median=2 mean=2.4 std=2.7)
35		Missing

<i>NCST4C</i>		<i>Cerad Delayed Total Score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
763	Range	0 - 10 (median=6 mean=6.1 std=2.1)
35		Missing

<i>NCST5</i>		<i>Oral Trail Making Test (Part A, Tmt A) Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	N	

<i>NCST5A</i>		<i>Reason Oral Trail Making Test (Part A, Tmt A) Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798		Missing

<i>NCST5B</i>		<i>Time To Complete Oral Trail Making Test (Part A, Tmt A) - Minutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	0	

<i>NCST5C</i>		<i>Time To Complete Oral Trail Making Test (Part A, Tmt A) - Seconds If Minutes < 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	Range	4 - 39 (median=9 mean=10.0 std=3.2)

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

NCST5D		Total Number Correct For Oral Trail Making Test (Part A, Tmt A)
N	Value	Description
1	22	
797	25	

NCST5E		Total Number Errors For Oral Trail Making Test (Part A, Tmt A)
N	Value	Description
792	0	
5	1	
1	5	

NCST6		Oral Trail Making Test (Part B, Tmt B) Discontinued
N	Value	Description
770	N	
28	Y	

NCST6A		Reason Oral Trail Making Test (Part B, Tmt B) Discontinued
N	Value	Description
26	B	
1	F	
1	I	
770		Missing

NCST6B		Time To Complete Oral Trail Making Test (Part B, Tmt B) - Minutes
N	Value	Description
580	0	
142	1	
15	2	
5	3	
27	4	
29		Missing

NCST6C		Time To Complete Oral Trail Making Test (Part B, Tmt B) - Seconds
N	Value	Description
741	Range	0 - 59 (median=31 mean=31.6 std=13.8)
57		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST6D</i>		<i>Total Number Correct For Oral Trail Making Test (Part B, Tmt B)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
769	Range	7 - 25 (median=25 mean=24.7 std=1.7)
29		Missing

<i>NCST6E</i>		<i>Total Number Errors For Oral Trail Making Test (Part B, Tmt B)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
455	0	
185	1	
63	2	
29	3	
12	4	
25	5	
29		Missing

<i>NCST7</i>		<i>Word Fluency (Fa) Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
792	N	
6	Y	

<i>NCST7A</i>		<i>Reason Word Fluency (Fa) Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	B	
2	C	
1	D	
792		Missing

<i>NCST7B</i>		<i>F Total (Fa)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
790	Range	1 - 25 (median=11 mean=11.4 std=4.3)
8		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST7C</i>		<i>A Total (Fa)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
790	Range	0 - 25 (median=10 mean=10.0 std=4.6)
8		Missing

<i>NCST8</i>		<i>Animal Naming Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
797	N	
1	Y	

<i>NCST8A</i>		<i>Reason Animal Naming Discontinued</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	
797		Missing

<i>NCST8B</i>		<i>Score For Animal Naming</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
795	Range	4 - 34 (median=17 mean=16.9 std=5.2)
3		Missing

<i>NCST9</i>		<i>Feels Completed Tests Reasonably Indicate Participant's Cognitive Ability</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
69	N	
729	Y	

<i>NCST9A</i>		<i>Result For Mme/Cdp Hybrid (Mcht) Reflects Ppt's Cognitive Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	N	
62	Y	
729		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST9A1</i>		<i>Type Of Interference With Mme/Cdp Hybrid (Mcht)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	
2	C	
4	I	
791		Missing

<i>NCST9B</i>		<i>Result For Cerad Immediate Reflects Ppt's Cognitive Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32	N	
33	Y	
733		Missing

<i>NCST9B1</i>		<i>Type Of Interference With Cerad Immediate</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18	A	
2	B	
7	C	
1	D	
1	H	
3	I	
766		Missing

<i>NCST9C</i>		<i>Result For Digit Span Backwards Reflects Ppt's Cognitive Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17	N	
51	Y	
730		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST9C1</i>		<i>Type Of Interference With Digit Span Backwards</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	A	
1	B	
3	C	
1	D	
1	E	
1	F	
5	I	
781		Missing

<i>NCST9D</i>		<i>Result For Cerad Delayed Reflects Ppt's Cognitive Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	N	
54	Y	
733		Missing

<i>NCST9D1</i>		<i>Type Of Interference With Cerad Delayed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	A	
1	B	
3	C	
2	I	
787		Missing

<i>NCST9E</i>		<i>Result For Oral Trail Making A Reflects Ppt's Cognitive Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	N	
63	Y	
729		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST9E1</i>		<i>Type Of Interference With Oral Trail Making A</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	C	
1	F	
3	I	
792		Missing

<i>NCST9F</i>		<i>Result For Oral Trail Making B Reflects Ppt's Cognitive Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	N	
53	Y	
736		Missing

<i>NCST9F1</i>		<i>Type Of Interference With Oral Trail Making B</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	C	
2	D	
4	I	
789		Missing

<i>NCST9G</i>		<i>Result For Word Fluency Reflects Ppt's Cognitive Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20	N	
47	Y	
731		Missing

<i>NCST9G1</i>		<i>Type Of Interference With Word Fluency</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	C	
3	D	
4	G	
1	H	
8	I	
778		Missing

Section 1: No PHI ACHIEVE Final Data Sets (V1.0)

<i>NCST9H</i>		<i>Result For Animal Naming Reflects Ppt's Cognitive Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13	N	
55	Y	
730		Missing

<i>NCST9H1</i>		<i>Type Of Interference With Animal Naming</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	B	
4	C	
1	D	
1	E	
1	G	
3	I	
785		Missing

<i>OCCURRENCE</i>		<i>OCCURRENCE</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	1	

<i>SUBJECTID</i>		<i>ACHIEVE SubjectID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	Present	Text suppressed

<i>VERS</i>		<i>VERS</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
798	0100	